

Announcement of Actions on EU Imports Under Section 232

October 31, 2021

STEEL

The United States will replace the existing 25 percent tariff on EU steel products under Section 232¹ with a tariff-rate quota (TRQ) with a date of effectiveness of January 1, 2022. Under the TRQ arrangement, historically-based volumes of EU steel products will enter the U.S. market without the application of Section 232 tariffs as follows:

1. **TRQ Amount:** The aggregate annual import volume under the TRQ is set at 3.3 MMT under 54 product categories and allocated on an EU member state basis in line with the 2015-2017 historical period. A breakdown of the said 54 product categories is enclosed in Annex 1.
2. **Derivative Products:** Imports of derivative articles of steel, as referenced in Proclamation 9980,² from the EU will not be subject to Section 232 duties.
3. **Eligible products:** In order to be eligible for duty-free treatment under the quota, steel imports must be “melted and poured” in the EU according to current³ U.S. requirements and rules implementing this arrangement. An importer shall provide relevant documentation substantiating compliance with U.S. requirements. Failure to comply could result in remedies and/or penalties as provided for under U.S. law.
4. **Exclusions:** The United States will maintain its exclusions process, as implemented under Section 232 of the Trade Expansion Act of 1962, available for steel products imported from the EU, but will not count imports of excluded steel products from the EU against the TRQ. The United States will extend the application of exclusions granted for and utilized in U.S. fiscal year 2021 for steel products imported from the EU for a period of two calendar years without the need to reapply, i.e., until 31 December 2023.⁴ These exclusions will be available for the U.S. exclusion holder and corresponding EU exporter or exporters. No Section 232 duty will apply to these U.S. imports from the EU.
5. **Tariff Rate:** Section 232 steel products from the EU that are within-quota will enter free of any Section 232 duty while all Section 232 steel products entering above-quota will continue to be subject to a Section 232 duty of 25 percent, provided that they are not subject to an exclusion as per point 4 above.

¹ Those steel articles are subject to U.S. Presidential Proclamation 9705 of March 8, 2018 (<https://www.govinfo.gov/content/pkg/FR-2018-03-15/pdf/2018-05478.pdf>).

² U.S. Presidential “Proclamation 9980 of January 24, 2020” (<https://www.federalregister.gov/documents/2020/01/29/2020-01806/adjusting-imports-of-derivative-aluminum-articles-and-derivative-steel-articles-into-the-united>)

³ As of October 30, 2021.

⁴ This corresponds to the volume of exclusions entered in the period October 1, 2020 to September 30, 2021.

6. Administration: The TRQ will be calculated for each year of the measure and administered on a quarterly basis. Any unused TRQ volume from the first quarter of the year, up to 4 percent of the allocated quota for that quarter, will roll over to the third quarter; any unused TRQ volume from the second quarter of the year, subject to the same limit, will roll over into the fourth quarter; and any unused TRQ volume from the third quarter, subject to the same limit, will roll over into the first quarter of the following year. The TRQ will be allocated on a first-come, first-served basis for each product category from each EU member state. The United States will provide on a public website updated information on the utilization of the quarterly quota for each product category, including information on the transferred unused TRQ volumes from one quarter to another.
7. Adjustment: The United States will conduct annual reviews of the TRQ to calculate the level of U.S. steel demand (apparent consumption) in the previous year when such data becomes available from the World Steel Association. For each 6 percent that this calculated level is above or below U.S. steel demand in 2021, the TRQ volume would increase or decrease, respectively, by 3 percent relative to the level outlined in point 1 in the subsequent twelve-month period. Should the calculated level of U.S. steel demand not be at least 6 percent above or below the U.S. fiscal year 2021 level, then the TRQ volume in the subsequent year would be at the level outlined in point 1 above.
8. Review: Starting no later than April 1, 2022, the United States will evaluate utilization and administration of the TRQ every three months and, at the request of the EU, enter into consultations to address any substantial under-use of the TRQ.

ALUMINUM

The United States will replace the existing 10 percent tariff on EU aluminum products under Section 232⁵ with a tariff-rate quota (TRQ) with a date of effectiveness of January 1, 2022. Under the TRQ arrangement, historically-based volumes of EU aluminum products will enter the U.S. market without the application of Section 232 tariffs as follows:

1. TRQ Amount: The aggregate annual import volume under the TRQ is set at 18 thousand metric tons (TMT) for unwrought aluminum under two product categories, and 366 TMT for semi-finished (wrought) aluminum under 14 product categories. The import volumes will be allocated on an EU member state basis in line with the 2018-19 historical period, with the exception of foil (7607), where 2021 annualized data will be utilized. A breakdown of the said product categories is enclosed in Annex 2.
2. Derivative Products: Imports of derivative articles of aluminum, as referenced in Proclamation 9980,⁶ from the EU will not be subject to Section 232 duties.

⁵ Those aluminum articles are subject to U.S. Presidential Proclamation 9704 of March 8, 2018 (<https://www.govinfo.gov/content/pkg/FR-2018-03-15/pdf/2018-05477.pdf>).

⁶ U.S. Presidential “Proclamation 9980 of January 24, 2020” (<https://www.federalregister.gov/documents/2020/01/29/2020-01806/adjusting-imports-of-derivative-aluminum-articles-and-derivative-steel-articles-into-the-united>).

3. Entry Documentation: An importer shall provide a Certificate of Analysis for each aluminum product entered into the United States, as required by current⁷ U.S. law and rules implementing this arrangement. Failure to provide this documentation could result in remedies and/or penalties as provided for under U.S. law.
4. Exclusions: The United States will maintain its exclusions process, as implemented under Section 232 of the Trade Expansion Act of 1962, available for aluminum products imported from the EU.
5. Tariff Rate: Section 232 aluminum products from the EU that are within-quota will enter free of any Section 232 duty, while all Section 232 aluminum products entering above-quota will continue to be subject to a Section 232 duty of 10 percent, provided that they are not subject to an exclusion as per point 4 above.
6. Administration: The TRQ is calculated for each year of the measure and administered on a semi-annual basis, with no more than 60 percent of the TRQ to be filled in the first half of the year. The United States will provide on a public website updated information on the utilization of the semi-annual quota for each product category.

⁷ As of October 30, 2021.

ANNEX 1: PRODUCT CATEGORIES FOR STEEL

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7206100000 | IRON AND NONALLOY STEEL INGOTS | Ingots |
| 7206900000 | INGOTS AND OTHER PRIMARY FORMS, OTHER | Ingots |
| 7207110000 | SEMIFINISHED IRON/NONALLOY STL, < 0.25% CARBON, RECTANGULAR/SQUARE CROSS SECTION, WIDTH < 2X THK | Blooms, billets and slabs, semi-finished |
| 7207120010 | SEMIFINISHED IRON/NONALLOY STL, < 0.25% CARBON, RECTANGULAR CROSS SECTION, WIDTH < 4X THK | Blooms, billets and slabs, semi-finished |
| 7207120050 | SEMIFINISHED IRON/NONALLOY STL, < 0.25% CARBON, RECTANGULAR CROSS SECTION, WIDTH >= 4X THK | Blooms, billets and slabs, semi-finished |
| 7207190030 | SEMIFINISHED IRON/NONALLOY STL, < 0.25% CARBON, CIRCULAR CROSS SECTION | Blooms, billets and slabs, semi-finished |
| 7207190090 | SEMIFINISHED IRON/NONALLOY STL, < 0.25% CARBON, CROSS SECTION OTHER THAN RECT/SQ/CIRC | Blooms, billets and slabs, semi-finished |
| 7207200025 | SEMIFINISHED IRON/NONALLOY STL, >= 0.25% CARBON, RECTANGULAR/SQUARE CROSS SECTION, WIDTH < 4X THK | Blooms, billets and slabs, semi-finished |
| 7207200045 | SEMIFINISHED IRON/NONALLOY STL, >= 0.25% CARBON, RECTANGULAR/SQUARE CROSS SECTION, WIDTH >= 4X THK | Blooms, billets and slabs, semi-finished |
| 7207200075 | SEMIFINISHED IRON/NONALLOY STL, >= 0.25% CARBON, CIRCULAR CROSS SECTION | Blooms, billets and slabs, semi-finished |
| 7207200090 | SEMIFINISHED IRON/NONALLOY STL, >= 0.25% CARBON, CROSS SECTION OTHER THAN RECT/SQ/CIRC | Blooms, billets and slabs, semi-finished |
| 7208101500 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, PATTERNS IN RELIEF, COILS, PICKLED | Hot-rolled plate, in coils |
| 7208103000 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, PATTERNS IN RELIEF, COILS, THK >= 4.75MM | Hot-rolled plate, in coils |
| 7208106000 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, PATTERNS IN RELIEF, THK < 4.75MM | Hot-rolled sheet |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|----------------------------|
| 7208253000 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, PICKLED, THK >= 4.75MM, HIGH-STR STL | Hot-rolled plate, in coils |
| 7208256000 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, PICKLED, THK >= 4.75MM, NESOI | Hot-rolled plate, in coils |
| 7208260030 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATD/COATD, COILS, PCKLD, THK 3-4.75MM, HI-STRENGTH STL | Hot-rolled sheet |
| 7208260060 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATD/COATD, COILS, PCKLD, THK 3-4.75MM, NOT HI-STRENGTH | Hot-rolled sheet |
| 7208270030 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATD/COATD, COILS, PCKLD, THK < 3MM, HI-STRENGTH STL | Hot-rolled sheet |
| 7208270040 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATD/COATD, COILS, PCKLD, THK < 3MM, HI-STRENGTH STL. Advanced or Ultra | Hot-rolled sheet |
| 7208270045 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATD/COATD, COILS, PCKLD, THK < 3MM, HI-STRENGTH STL. OTHER | Hot-rolled sheet |
| 7208270060 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATD/COATD, COILS, PCKLD, THK < 3MM, NOT HI-STRENGTH STL | Hot-rolled sheet |
| 7208360030 | FLAT-ROLLED IRON/NA STL, WIDTH>=600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, NOT PCKLD, THK > 10MM, HIGH-STR STL | Hot-rolled plate, in coils |
| 7208360060 | FLAT-ROLLED IRON/NA STL, WIDTH>=600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, NOT PCKLD, THK > 10MM, NESOI | Hot-rolled plate, in coils |
| 7208370030 | FLAT-ROLLED IRON/NA STL, WIDTH>=600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, NOT PCKLD, THK 4.75-10MM, HIGH-STR STL | Hot-rolled plate, in coils |
| 7208370060 | FLAT-ROLLED IRON/NA STL, WIDTH>=600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, NOT PCKLD, THK 4.75-10MM, NESOI | Hot-rolled plate, in coils |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|-----------------------|
| 7208380015 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, THK 3-4.75MM, HIGH-STRENGTH STL | Hot-rolled sheet |
| 7208380030 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, THK 3-4.75MM, UNTRIMMED EDGES | Hot-rolled sheet |
| 7208380090 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, THK 3-4.75MM, NESOI | Hot-rolled sheet |
| 7208390015 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, THK < 3MM, HIGH-STRENGTH STL | Hot-rolled sheet |
| 7208390020 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, THK < 3MM, HIGH-STRENGTH STL, Advanced or Ultra | Hot-rolled sheet |
| 7208390025 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, THK < 3MM, HIGH-STRENGTH STL - OTHER | Hot-rolled sheet |
| 7208390030 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, THK < 3MM, UNTRIMMED EDGES | Hot-rolled sheet |
| 7208390090 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, COILS, THK < 3MM, NESOI | Hot-rolled sheet |
| 7208403030 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLD/PLTD/CTD, NOT COILS, PATTERNS IN RELIEF, THK > 10MM | Plate in cut lengths |
| 7208403060 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLD/PLTD/CTD, NOT COILS, PATTERNS IN RELIEF, THK 4.75-10MM | Plate in cut lengths |
| 7208406030 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, NOT COILS, PATTNS IN RELIEF, THK < 3MM | Hot-rolled sheet |
| 7208406060 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, NOT COILS, PATTNS IN RELIEF, THK 3-4.75MM | Hot-rolled sheet |
| 7208510030 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, HOT-RLD, NOT CLD/PLTD/CTD, NOT COILS, THK > 10MM, UNIVERSAL MILL PLATE | Plate in cut lengths |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---------------------------------------|
| 7208510045 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT CLD/PLTD/CTD, NOT COILS, THK > 10MM, HIGH-STR STL | Plate in cut lengths |
| 7208510060 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT CLD/PLTD/CTD, NOT COILS, THK > 10MM, NESOI | Plate in cut lengths |
| 7208520000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT CLD/PLTD/CTD, NOT COILS, THK 4.75-10MM | Plate in cut lengths |
| 7208530000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, NOT COILS, THK 3-4.75MM | Hot-rolled sheet |
| 7208540000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, NOT COILS, THK < 3MM | Hot-rolled sheet |
| 7208900000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, NESOI | Hot-rolled sheet |
| 7209150000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATED/COATED, COILS, THK >= 3MM | Cold-rolled sheet, and other products |
| 7209160030 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 1-3MM, HI-STRENGTH, ANNEALED | Cold-rolled sheet, and other products |
| 7209160040 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 1-3MM, HI-STRENGTH, ANNEALED, ADVANCED or ULTRA | Cold-rolled sheet, and other products |
| 7209160045 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 1-3MM, HI-STRENGTH, ANNEALED, OTHER | Cold-rolled sheet, and other products |
| 7209160060 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 1-3MM, HI-STRENGTH, NOT ANNEALED | Cold-rolled sheet, and other products |
| 7209160070 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 1-3MM, NOT HI-STRENGTH, ANNEALED | Cold-rolled sheet, and other products |
| 7209160091 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 1-3MM, NOT HI-STRENGTH, NOT ANNEALED | Cold-rolled sheet, and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---------------------------------------|
| 7209170030 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 0.5-1MM, HI-STRENGTH, ANNEALED | Cold-rolled sheet, and other products |
| 7209170040 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 0.5-1MM, HI-STRENGTH, ANNEALED, Advanced or Ultra | Cold-rolled sheet, and other products |
| 7209170045 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 0.5-1MM, HI-STRENGTH, ANNEALED. Other | Cold-rolled sheet, and other products |
| 7209170060 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 0.5-1MM, HI-STRENGTH, NOT ANNEALED | Cold-rolled sheet, and other products |
| 7209170070 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 0.5-1MM, NOT HI-STRENGTH, ANNEALED | Cold-rolled sheet, and other products |
| 7209170091 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 0.5-1MM, NOT HI-STRENGTH, NOT ANNEALED | Cold-rolled sheet, and other products |
| 7209181530 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK < 0.5MM, HI-STRENGTH, ANNEALED | Cold-rolled sheet, and other products |
| 7209181560 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK < 0.5MM, HI-STRENGTH, NOT ANNEALED | Cold-rolled sheet, and other products |
| 7209182510 | FLAT RLD IRON/STL;APERATURE MASK CRT;LT .361MM THK | Cold-rolled black plate |
| 7209182520 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATED/COATED, COILS, THK < 0.361MM, ANNEALED | Cold-rolled black plate |
| 7209182580 | FLAT RLD IR/STL;COIL;GT=600MM;LT .361MM THK; NESOI | Cold-rolled black plate |
| 7209182585 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATED/COATED, COILS, THK < 0.361MM, NOT ANNEALED | Cold-rolled black plate |
| 7209186020 | FLAT-RLD IRON/NA STL, WIDTH >= 600MM, COLD-RLD, NOT CLAD/PLATD/COATED, COILS, THK 0.361-0.5MM, ANNEALED, NESOI | Cold-rolled sheet, and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7209186090 | FLAT-RLD IRON/NA STL, WIDTH \geq 600MM, COLD-RLD, NOT CLAD/PLATED/COATED, COILS, THK 0.361-0.5MM, NOT ANNEALED, NESOI | Cold-rolled sheet, and other products |
| 7209250000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, COLD-RLD, NOT CLAD/PLATED/COATED, NOT COILS, THK \geq 3MM | Cold-rolled sheet, and other products |
| 7209260000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, COLD-RLD, NOT CLAD/PLATED/COATED, NOT COILS, THK 1-3MM | Cold-rolled sheet, and other products |
| 7209270000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, COLD-RLD, NOT CLAD/PLATED/COATED, NOT COILS, THK 0.5-1MM | Cold-rolled sheet, and other products |
| 7209280000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, COLD-RLD, NOT CLAD/PLATED/COATED, NOT COILS, THK $<$ 0.5MM | Cold-rolled sheet, and other products |
| 7209900000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, COLD-RLD, NOT CLAD/PLATED/COATED, WHETHER OR NOT IN COILS, NESOI | Cold-rolled sheet, and other products |
| 7210110000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, PLATED/COATED WITH TIN, THK \geq 0.5MM | Tin plate |
| 7210120000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, PLATED/COATED WITH TIN, THK $<$ 0.5MM | Tin plate |
| 7210200000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, PLATED/COATED WITH LEAD (INCLUDING TERNE-PLATE) | Flat-rolled products, coated |
| 7210300030 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, ELECTROLYTICALLY PLATED/COATED WITH ZINC, HIGH-STRENGTH STL | Sheets and strip electrolytically coated or plated with zinc |
| 7210300060 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, ELECTROLYTICALLY PLATED/COATED WITH ZINC, NESOI | Sheets and strip electrolytically coated or plated with zinc |
| 7210410000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH \geq 600MM, PLATED/COATED WITH ZINC (NOT ELECTROLYTICALLY), CORRUGATED | Flat-rolled products, hot-dipped |
| 7210490030 | FLAT-ROLLED IRON/NA STL, WIDTH \geq 600MM, PLATED/COATED WITH ZINC (NOT ELECTROLYTICALLY), NOT CORRUGATED, HIGH-STRENGTH STL | Flat-rolled products, hot-dipped |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7210490040 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, PLATD/COATD WITH ZINC (NOT ELECTROLYTICALLY), NOT CORRGTD, HIGH-STRENGTH STL, Advanced or Ultra | Flat-rolled products, hot-dipped |
| 7210490045 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, PLATD/COATD WITH ZINC (NOT ELECTROLYTICALLY), NOT CORRGTD, HIGH-STRENGTH STL, Other | Flat-rolled products, hot-dipped |
| 7210490091 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, PLATD/COATD WITH ZINC (NOT ELECTROLYTICALLY), NOT CORRGTD, THK >= 0.4MM | Flat-rolled products, hot-dipped |
| 7210490095 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, PLATD/COATD WITH ZINC (NOT ELECTROLYTICALLY), NOT CORRGTD, THK < 0.4MM | Flat-rolled products, hot-dipped |
| 7210500000 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, PLATED/COATED W/ CHROMIUM OXIDES OR W/ CHROMIUM AND CHROMIUM OXIDES | Tin-free steel |
| 7210500020 | Plated or coated with chromium oxides or with chromium and chromium oxides Of a width less than 1050 mm | Tin-free steel |
| 7210500090 | Plated or coated with chromium oxides or with chromium and chromium oxides...Other | Tin-free steel |
| 7210610000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >= 600MM, PLATED/COATED WITH ALUMINUM-ZINC ALLOYS | Flat-rolled products, coated |
| 7210690000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >= 600MM, PLATED/COATED WITH ALUMINUM | Flat-rolled products, coated |
| 7210703000 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, PAINTD/VARNSHD/COATD W/ PLASTICS, NOT COATED/PLATED W/ METAL, NOT CLAD | Cold-rolled sheet, and other products |
| 7210706030 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, PAINTD/VARNSHD/COATD W/ PLASTICS, ELECTROLYTICALLY PLATD/COATD W/ ZINC | Sheets and strip electrolytically coated or plated with zinc |
| 7210706060 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, PAINTD/VARNSHD/COATD W/ PLASTICS, PLATD/COATD W/ ZINC (NOT ELECTROLYTICALLY) | Flat-rolled products, hot-dipped |
| 7210706090 | FLAT-ROLLED IRON/NA STL, WIDTH >= 600MM, PAINTD/VARNSHD/COATD W/ PLASTICS, PLATED/COATED W/ METAL OTH THAN ZINC | Flat-rolled products, coated |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|------------------------------|
| 7210901000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >/= 600MM, CLAD, NESOI | Plate in cut lengths |
| 7210906000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >/= 600MM, NOT CLAD, ELECTROLYTICALLY PLATED/COATED W/ BASE METAL | Flat-rolled products, coated |
| 7210909000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH >/= 600MM, PLATED/COATED, NOT CLAD, NESOI | Flat-rolled products, coated |
| 7211130000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, UNIVERSAL MILL PLATE | Plate in cut lengths |
| 7211140030 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, THK >/= 4.75MM, HIGH-STRENGTH STL | Plate in cut lengths |
| 7211140045 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 600MM, HOT-RLD, NOT CLAD/PLATED/COATED, THK >/= 4.75MM, NOT COILS | Plate in cut lengths |
| 7211140090 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 600MM, NOT CLAD/PLATED/COATED, HOT-RLD, THK >/= 4.75MM, COILS | Hot-rolled plate, in coils |
| 7211191500 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 300MM, NOT CLAD/PLATED/COATED, HOT-RLD, THK < 4.75MM, HIGH-STRENGTH STL | Hot-rolled strip |
| 7211192000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 300MM, NOT CLAD/PLATED/COATED, HOT-RLD, THK 1.25-4.75MM | Hot-rolled strip |
| 7211193000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 300MM, NOT CLAD/PLATED/COATED, HOT-RLD, THK < 1.25MM | Hot-rolled strip |
| 7211194500 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH 300-600MM, NOT CLAD/PLATED/COATED, HOT-RLD, THK < 4.75MM, HIGH-STRENGTH STL | Hot-rolled strip |
| 7211196000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH 300-600MM, NOT CLAD/PLATED/COATED, HOT-RLD, THK < 4.75MM, PICKLED | Hot-rolled strip |
| 7211197530 | FLAT-RLD IRON/NA STL, WIDTH 300-600MM, NOT CLAD/PLATD/COATD, HOT-RLD, THK<4.75MM, NOT PCKLD, COILS, W/ UNTRIMMED EDGES | Hot-rolled strip |
| 7211197560 | FLAT-ROLLED IRON/NA STL, WIDTH 300-600MM, NOT CLAD/PLATED/COATED, HOT-RLD, THK < 4.75MM, NOT PCKLD, COILS, NESOI | Hot-rolled strip |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---------------------------------------|
| 7211197590 | FLAT-ROLLED IRON/NA STL, WIDTH 300-600MM, NOT CLAD/PLATED/COATED, HOT-RLD, THK < 4.75MM, NOT PCKLD, NOT COILS | Hot-rolled strip |
| 7211231500 | FLAT-RLD IRON/NA STL, WIDTH < 300MM, NOT CLAD/PLATED/COATED, COLD-RLD, < 0.25% CRBN, THK > 1.25MM, HIGH-STRENGTH STL | Cold-rolled strip, and other products |
| 7211232000 | FLAT-ROLLED IRON/NA STL, WIDTH < 300MM, NOT CLAD/PLATED/COATED, COLD-RLD, < 0.25% CRBN, THK > 1.25MM, NESOI | Cold-rolled strip, and other products |
| 7211233000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 300MM, NOT CLAD/PLATED/COATED, COLD-RLD, < 0.25% CRBN, THK 0.25-1.25MM | Cold-rolled strip, and other products |
| 7211234500 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 300MM, NOT CLAD/PLATED/COATED, COLD-RLD, < 0.25% CRBN, THK | Cold-rolled strip, and other products |
| 7211236030 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH 300-600MM, NOT CLAD/PLATED/COATED, COLD-RLD, < 0.25% CRBN, THK > 1.25MM | Cold-rolled strip, and other products |
| 7211236060 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH 300-600MM, NOT CLAD/PLATED/COATED, COLD-RLD, < 0.25% CRBN, THK 0.25-1.25MM | Cold-rolled strip, and other products |
| 7211236085 | FLT&CLD RLD IR/STL;(300-600MM);GT 0.25MM THK;NESOI | Cold-rolled strip, and other products |
| 7211236090 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH 300-600MM, NOT CLAD/PLATED/COATED, COLD-RLD, < 0.25% CRBN, THK | Cold-rolled strip, and other products |
| 7211292030 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 51MM, NOT CLAD/PLATED/COATED, COLD-RLD, >/= 0.25% CRBN, THK > 0.25MM, COILS | Cold-rolled strip, and other products |
| 7211292090 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 300MM, NOT CLAD/PLATED/COATED, COLD-RLD, >/= 0.25% CRBN, THK > 0.25MM, NESOI | Cold-rolled strip, and other products |
| 7211294500 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 300MM, NOT CLAD/PLATED/COATED, COLD-RLD, >/= 0.25% CRBN, THK | Cold-rolled strip, and other products |
| 7211296030 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH 300-600MM, NOT CLAD/PLATED/COATED, COLD-RLD, >/= 0.25% CRBN, THK > 1.25MM | Cold-rolled strip, and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7211296080 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH 300-600MM, NOT CLAD/PLATED/COATED, COLD-RLD, >/= 0.25% CRBN, THK | Cold-rolled strip, and other products |
| 7211900000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 600MM, NOT CLAD/PLATED/COATED, NESOI | Cold-rolled strip, and other products |
| 7212100000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 600MM, PLATED/COATED WITH TIN | Tin plate |
| 7212200000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 600MM, ELECTROLYTICALLY PLATED/COATED WITH ZINC | Sheets and strip electrolytically coated or plated with zinc |
| 7212301030 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 51MM, PLATED/COATED WITH ZINC (NOT ELECTROLYTICALLY), THK >/= 0.25MM, COILS | Flat-rolled products, hot-dipped |
| 7212301090 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH 51-300MM, PLATED/COATED WITH ZINC (NOT ELECTROLYTICALLY), THK >/= 0.25MM | Flat-rolled products, hot-dipped |
| 7212303000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 300MM, PLATED/COATED WITH ZINC (NOT ELECTROLYTICALLY), THK < 25MM | Flat-rolled products, hot-dipped |
| 7212305000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH 300-600MM, PLATED/COATED WITH ZINC (NOT ELECTROLYTICALLY) | Flat-rolled products, hot-dipped |
| 7212401000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 300MM, PAINTED/VARNISHED/COATED W/ PLASTICS | Cold-rolled strip, and other products |
| 7212405000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH 300-600MM, PAINTED/VARNISHED/COATED W/ PLASTICS | Cold-rolled strip, and other products |
| 7212500000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 600MM, PLATED/COATED, NESOI | Flat-rolled products, coated |
| 7212600000 | FLAT-ROLLED IRON/NONALLOY STL, WIDTH < 600MM, CLAD, NESOI | Flat-rolled products, coated |
| 7213100000 | CONCRETE REINFORCING BARS/RODS IRON/NONALLOY STL, HOT-RLD, IRR COILS | Reinforcing bars |
| 7213200010 | BARS/RODS IRON/NONALLOY STL, HOT-RLD, IRR COILS, FREE-CUTTING STL, > 0.1% LEAD | Bars, hot-rolled, not of stainless steel |
| 7213200080 | BARS/RODS IRON/NONALLOY STL, HOT-RLD, IRR COILS, FREE-CUTTING STL, NESOI | Bars, hot-rolled, not of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---|
| 7213913011 | BARS/RODS IRON/NA STL, IRR COILS, HOT-RLD, CIRC CS<14MM DIAM, NOT TEMPRD/TREATD/PARTLY MFTD, TIRE-CORD QUAL WIRE ROD | Bars and rods, hot-rolled, in irregularly wound coils |
| 7213913015 | BARS/RODS IRON/NA STL, IRR COILS, HOT-RLD, CIRC CS<14MM DIAM, NOT TEMPRD/TREATD/PARTLY MFTD, COLD HEADING QUALITY STL | Bars and rods, hot-rolled, in irregularly wound coils |
| 7213913020 | BARS/RODS IRON/NA STL, IRR COILS, HOT-RLD, CIRC CS<14MM DIAM, NOT TEMPRD/TREATD/PARTLY MFTD, WELDING QUALITY WIRE ROD | Bars and rods, hot-rolled, in irregularly wound coils |
| 7213913092 | BAR ROD IRON/STEEL HOT-ROLLD IRR DIA LT 14MM NESOI | Bars and rods, hot-rolled, in irregularly wound coils |
| 7213913093 | BARS/RODS IRON/NA STL, IRR COILS, HOT-RLD, CIRC CS<14MM DIAM, NOT TEMPRD/TREATD/PARTLY MFTD, NESOI | Bars and rods, hot-rolled, in irregularly wound coils |
| 7213914500 | BARS/RODS IRON/NONALLOY STL, IRR COILS, HOT-RLD, CIRC CS < 14MM DIAM, >= 0.6% CARBON, NESOI | Bars and rods, hot-rolled, in irregularly wound coils |
| 7213916000 | BARS/RODS IRON/NONALLOY STL, IRR COILS, HOT-RLD, CIRC CS < 14MM DIAM, < 0.6% CARBON, NESOI | Bars and rods, hot-rolled, in irregularly wound coils |
| 7213990030 | BARS/RODS IRON/NONALLOY STL, IRR COILS, HOT-RLD, CIRC CS 14MM-19MM DIAM, NESOI | Bars and rods, hot-rolled, in irregularly wound coils |
| 7213990060 | BARS/RODS IRON/NONALLOY STL, HOT-RLD, IRR COILS, CIRC CROSS SECTION >= 19MM DIAM | Bars, hot-rolled, not of stainless steel |
| 7213990090 | BARS/RODS IRON/NONALLOY STL, IRR COILS, HOT-RLD, CIRC CS >= 14MM DIAM OR NON CIRC CS, NESOI | Bars and rods, hot-rolled, in irregularly wound coils |
| 7214100000 | OTHER BARS/RODS IRON/NONALLOY STL, INCL TWISTED AFTER ROLLING, NOT COILS, FORGED | Bars, hot-rolled, not of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7214200000 | CONCRETE REINFORCING BARS/RODS IRON/NONALLOY STL, HOT-RLD/DRAWN/EXTRUDED, INCL TWISTED AFT ROLLING, NOT COILS | Reinforcing bars |
| 7214300010 | OTHER BARS/RODS IRON/NONALLOY STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, FREE-CUTTING STL, >= 0.1% LEAD | Bars, hot-rolled, not of stainless steel |
| 7214300080 | OTHER BARS/RODS IRON/NONALLOY STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, FREE-CUTTING STL, NESOI | Bars, hot-rolled, not of stainless steel |
| 7214910015 | BAR&ROD IOS NA RCTNGLR X-SEC,LT 0.25%CRBN,HT-RL/DR | Bars, hot-rolled, not of stainless steel |
| 7214910016 | OTHER BARS/RODS IRON/NONALLOY STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, RECT CS < 152MM, <0.25% CARBON | Bars, hot-rolled, not of stainless steel |
| 7214910020 | OTHER BARS/RODS IRON/NONALLOY STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, RECT CS >= 152MM, <0.25% CARBON | Bars, hot-rolled, not of stainless steel |
| 7214910060 | OTHER BARS/RODS IRON/NONALLOY STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, RECT CS, 0.25-0.6% CARBON | Bars, hot-rolled, not of stainless steel |
| 7214910090 | OTHER BARS/RODS IRON/NONALLOY STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, RECT CS, >= 0.6% CARBON | Bars, hot-rolled, not of stainless steel |
| 7214990015 | OTHER BARS IRON/STL;ROUNDS;HOT-WKD;LT 0.25%CARBON | Bars, hot-rolled, not of stainless steel |
| 7214990016 | OTHER BARS/RODS IRON/NA STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, ROUNDS, < 0.25% CARBON, DIAM < 76MM | Bars, hot-rolled, not of stainless steel |
| 7214990020 | OTHER BARS IRON/STL;RNDS;HOT-WKD;LT 0.25%CARBN,NES | Bars, hot-rolled, not of stainless steel |
| 7214990021 | OTHER BARS/RODS IRON/NA STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, ROUNDS, < 0.25% CARBON, DIAM 76-152MM | Bars, hot-rolled, not of stainless steel |
| 7214990026 | OTHER BARS/RODS IRON/NA STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, ROUNDS, < 0.25% CARBON, DIAM > 152MM | Bars, hot-rolled, not of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7214990030 | OTHER BARS IRON/STL; ROUNDS; (0.25%-0.6%) CARBON | Bars, hot-rolled, not of stainless steel |
| 7214990031 | OTHER BARS/RODS IRON/NA STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, ROUNDS, 0.25-0.6% CARBON, DIAM < 76MM | Bars, hot-rolled, not of stainless steel |
| 7214990036 | OTHER BARS/RODS IRON/NA STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, ROUNDS, 0.25-0.6% CARBON, DIAM 76-152MM | Bars, hot-rolled, not of stainless steel |
| 7214990040 | OTHER BARS/RODS IRON/NA STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, ROUNDS, 0.25-0.6% CARBON, DIAM > 152MM | Bars, hot-rolled, not of stainless steel |
| 7214990045 | OTHER BARS/RODS IRON/NA STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, ROUNDS, >= 0.6% CARBON | Bars, hot-rolled, not of stainless steel |
| 7214990060 | OTHER BARS/RODS IRON/NONALLOY STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, < 0.25% CARBON, NESOI | Bars, hot-rolled, not of stainless steel |
| 7214990075 | OTHER BARS/RODS IRON/NONALLOY STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, 0.25-0.6% CARBON, NESOI | Bars, hot-rolled, not of stainless steel |
| 7214990090 | OTHER BARS/RODS IRON/NONALLOY STL, HOT-RLD/DRWN/EXTRD, INCL TWIST AFT ROLL, NOT COILS, >= 0.6% CARBON, NESOI | Bars, hot-rolled, not of stainless steel |
| 7215100010 | OTHER BARS/RODS IRON/NONALLOY STL, FREE-CUTTING STL, COLD-FORMED/FINISHED, NOT COILS, >= 0.1% LEAD | Bars, cold-finished, not of stainless steel |
| 7215100080 | OTHER BARS/RODS IRON/NONALLOY STL, FREE-CUTTING STL, COLD-FORMED/FINISHED, NOT COILS, < 0.1% LEAD | Bars, cold-finished, not of stainless steel |
| 7215500015 | BARS&RODS IOS NA, CLD-FRM/FNSHD, WT LT .25%CRB | Bars, cold-finished, not of stainless steel |
| 7215500016 | OTHER BARS/RODS IRON/NONALLOY STL, COLD-FORMED/FINISHED, NOT COILS, < 0.25% CARBON, DIAM < 76MM | Bars, cold-finished, not of stainless steel |
| 7215500018 | OTHER BARS/RODS IRON/NONALLOY STL, COLD-FORMED/FINISHED, NOT COILS, < 0.25% CARBON, DIAM 76-228MM | Bars, cold-finished, not of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---|
| 7215500020 | OTHER BARS/RODS IRON/NONALLOY STL, COLD-FORMED/FINISHED, NOT COILS, < 0.25% CARBON, DIAM > 228MM | Bars, cold-finished, not of stainless steel |
| 7215500060 | BAR&RODS IOS NA,CLD-FRM/FNSHD,WT (.25-6%) CARBON | Bars, cold-finished, not of stainless steel |
| 7215500061 | OTHER BARS/RODS IRON/NONALLOY STL, COLD-FORMED/FINISHED, NOT COILS, 0.25-0.6% CARBON, DIAM < 76MM | Bars, cold-finished, not of stainless steel |
| 7215500063 | OTHER BARS/RODS IRON/NONALLOY STL, COLD-FORMED/FINISHED, NOT COILS, 0.25-0.6% CARBON, DIAM 76-228MM | Bars, cold-finished, not of stainless steel |
| 7215500065 | OTHER BARS/RODS IRON/NONALLOY STL, COLD-FORMED/FINISHED, NOT COILS, 0.25-0.6% CARBON, DIAM > 228MM | Bars, cold-finished, not of stainless steel |
| 7215500090 | OTHER BARS/RODS IRON/NONALLOY STL, COLD-FORMED/FINISHED, NOT COILS, >= 0.6% CARBON | Bars, cold-finished, not of stainless steel |
| 7215901000 | OTHER BARS/RODS IRON/NONALLOY STL, PLATED/COATED W/ METAL, NOT COLD-FORMED | Bars, hot-rolled, not of stainless steel |
| 7215903000 | OTHER BARS/RODS IRON/NONALLOY STL, PLATED/COATED W/ METAL, COLD-FORMED | Bars, cold-finished, not of stainless steel |
| 7215905000 | OTHER BARS/RODS IRON/NONALLOY STL, FURTHER WORKED THAN COLD-FORMED/FINISHED, NESOI | Bars, cold-finished, not of stainless steel |
| 7216100010 | U SECTIONS IRON/NONALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, HEIGHT < 80MM | Angles, shapes and sections of a type known as "light-shaped bars" and other products |
| 7216100050 | I OR H SECTIONS IRON/NONALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, HEIGHT < 80MM | Angles, shapes and sections of a type known as "light-shaped bars" and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7216210000 | L SECTIONS IRON/NONALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, HEIGHT < 80MM | Angles, shapes and sections of a type known as "light-shaped bars" and other products |
| 7216220000 | T SECTIONS IRON/NONALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, HEIGHT < 80MM | Angles, shapes and sections of a type known as "light-shaped bars" and other products |
| 7216310000 | U SECTIONS IRON/NONALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, HEIGHT >= 80MM | Angles, shapes and sections |
| 7216320000 | I SECTIONS (STANDARD BEAMS) IRON/NONALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, HEIGHT >= 80MM | Angles, shapes and sections |
| 7216330030 | H SECTIONS IRON/NA STL, HOT-RLD/DRWN/EXTRD, HEIGHT >= 80MM, WEIGHT < 11.3KG/30.5CM, WEB DEPTH 102-356MM | Angles, shapes and sections |
| 7216330060 | H SECTIONS IRON/NA STL, HOT-RLD/DRWN/EXTRD, HEIGHT >= 80MM, WEIGHT 11.3-27.2KG/30.5CM, WEB DEPTH 203-457MM | Angles, shapes and sections |
| 7216330090 | H SECTIONS IRON/NONALLOY STL, HOT-RLD/DRWN/EXTRD, HEIGHT >= 80MM, NESOI | Angles, shapes and sections |
| 7216400010 | L SECTIONS IRON/NONALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, HEIGHT >= 80MM | Angles, shapes and sections |
| 7216400050 | T SECTIONS IRON/NONALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, HEIGHT >= 80MM | Angles, shapes and sections |
| 7216500000 | OTHER ANGLES/SHAPES/SECTIONS IRON/NONALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, NESOI | Angles, shapes and sections |
| 7216990010 | OTHER ANGLES/SHAPES/SECTIONS IRON/NONALLOY STL, DRILLED/NOTCHED/PUNCHED/CAMBERED, NESOI | Angles, shapes and sections |
| 7216990090 | OTHER ANGLES/SHAPES/SECTIONS IRON/NONALLOY STL, NOT DRILLED/NOTCHED/PUNCHED/CAMBERED, NESOI | Angles, shapes and sections |
| 7217101000 | FLAT WIRE IRON/NONALLOY STL, NOT PLATED/COATED, < 0.25% CARBON, THK | Wire (other than of stainless steel) |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--------------------------------------|
| 7217102000 | FLAT WIRE IRON/NONALLOY STL, NOT PLATED/COATED, < 0.25% CARBON, THK 0.25-1.25MM | Wire (other than of stainless steel) |
| 7217103000 | FLAT WIRE IRON/NONALLOY STL, NOT PLATED/COATED, < 0.25% CARBON, THK > 1.25MM | Wire (other than of stainless steel) |
| 7217104030 | ROUND WIRE,IR/STL,NOT/PLT LT .25%CAR,LT 1.5MM HEAT | Wire (other than of stainless steel) |
| 7217104040 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, < 0.25% CARBON, DIAM < 1.5MM, HEAT-TREATED, COILS WGHT | Wire (other than of stainless steel) |
| 7217104045 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, < 0.25% CARBON, DIAM < 1.5MM, HEAT-TREATED, NESOI | Wire (other than of stainless steel) |
| 7217104090 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, < 0.25% CARBON, DIAM < 1.5MM, NOT HEAT-TREATED | Wire (other than of stainless steel) |
| 7217105030 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, < 0.25% CARBON, DIAM >/= 1.5MM, HEAT-TREATED | Wire (other than of stainless steel) |
| 7217105090 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, < 0.25% CARBON, DIAM >/= 1.5MM, NOT HEAT-TREATED | Wire (other than of stainless steel) |
| 7217106000 | OTHER WIRE IRON/NONALLOY STL, NOT PLATED/COATED, < 0.25% CARBON | Wire (other than of stainless steel) |
| 7217107000 | FLAT WIRE IRON/NONALLOY STL, NOT PLATED/COATED, >/= 0.25% CARBON | Wire (other than of stainless steel) |
| 7217108010 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, 0.25-0.6% CARBON, HEAT-TREATED | Wire (other than of stainless steel) |
| 7217108020 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, 0.25-0.6% CARBON, NOT HEAT-TREATED | Wire (other than of stainless steel) |
| 7217108025 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, > 0.6% CARBON, HEAT-TREATED, DIAM < 1.0MM | Wire (other than of stainless steel) |
| 7217108030 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, > 0.6% CARBON, HEAT-TREATED, DIAM 1.0-1.5MM | Wire (other than of stainless steel) |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--------------------------------------|
| 7217108045 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, > 0.6% CARBON, HEAT-TREATED, DIAM >= 1.5MM | Wire (other than of stainless steel) |
| 7217108060 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, > 0.6% CARBON, NOT HEAT-TREATED, DIAM < 1.0MM | Wire (other than of stainless steel) |
| 7217108075 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, > 0.6% CARBON, NOT HEAT-TREATED, DIAM 1.0-1.5MM | Wire (other than of stainless steel) |
| 7217108090 | ROUND WIRE IRON/NONALLOY STL, NOT PLATED/COATED, > 0.6% CARBON, NOT HEAT-TREATED, DIAM >= 1.5MM | Wire (other than of stainless steel) |
| 7217109000 | OTHER WIRE IRON/NONALLOY STL, NOT PLATED/COATED, >= 0.25% CARBON, NESOI | Wire (other than of stainless steel) |
| 7217201500 | FLAT WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC | Wire (other than of stainless steel) |
| 7217203000 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, DIAM >= 1.5MM, < 0.25% CARBON | Wire (other than of stainless steel) |
| 7217204510 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, DIAM < 1.0MM, < 0.25% CARBON | Wire (other than of stainless steel) |
| 7217204520 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, DIAM < 1.0MM, 0.25-0.6% CARBON | Wire (other than of stainless steel) |
| 7217204530 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, DIAM < 1.0MM, >= 0.6% CARBON | Wire (other than of stainless steel) |
| 7217204540 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, DIAM 1.0-1.5MM, < 0.25% CARBON | Wire (other than of stainless steel) |
| 7217204550 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, DIAM 1.0-1.5MM, 0.25-0.6% CARBON | Wire (other than of stainless steel) |
| 7217204560 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, DIAM 1.0-1.5MM, >= 0.6% CARBON | Wire (other than of stainless steel) |
| 7217204570 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, DIAM >= 1.5MM, 0.25-0.6% CARBON | Wire (other than of stainless steel) |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--------------------------------------|
| 7217204580 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, DIAM >= 1.5MM, >= 0.6% CARBON | Wire (other than of stainless steel) |
| 7217206000 | OTHER WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, < 0.25% CARBON | Wire (other than of stainless steel) |
| 7217207500 | OTHER WIRE IRON/NONALLOY STL, PLATED/COATED WITH ZINC, >= 0.25% CARBON | Wire (other than of stainless steel) |
| 7217301530 | FLAT WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, >= 0.6% CARBON | Wire (other than of stainless steel) |
| 7217301560 | FLAT WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, < 0.6% CARBON | Wire (other than of stainless steel) |
| 7217303000 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, DIAM >= 1.5MM, < 0.25% CARBON | Wire (other than of stainless steel) |
| 7217304504 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, < 0.20% CARBON, FOR ELECTRIC ARC WELDING | Wire (other than of stainless steel) |
| 7217304511 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, DIAM < 1.0MM, < 0.25% CARBON | Wire (other than of stainless steel) |
| 7217304520 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, DIAM < 1.0MM, 0.25-0.6% CARBON | Wire (other than of stainless steel) |
| 7217304530 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, DIAM < 1.0MM, >= 0.6% CARBON | Wire (other than of stainless steel) |
| 7217304541 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, DIAM 1.0-1.5MM, < 0.25% CARBON | Wire (other than of stainless steel) |
| 7217304550 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, DIAM 1.0-1.5MM, 0.25-0.6% CARBON | Wire (other than of stainless steel) |
| 7217304560 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, DIAM 1.0-1.5MM, >= 0.6% CARBON | Wire (other than of stainless steel) |
| 7217304590 | ROUND WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, DIAM >= 1.5MM | Wire (other than of stainless steel) |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---|
| 7217306000 | OTHER WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, < 0.25% CARBON | Wire (other than of stainless steel) |
| 7217307500 | OTHER WIRE IRON/NONALLOY STL, PLATED/COATED W/ OTH BASE METALS, >= 0.25% CARBON | Wire (other than of stainless steel) |
| 7217901000 | Wire of iron or non-alloy steel coated with plastic | Wire (other than of stainless steel) |
| 7217905030 | WIRE IRON/NONALLOY STL, PLATED/COATED, < 0.25% CARBON, NESOI | Wire (other than of stainless steel) |
| 7217905060 | WIRE IRON/NONALLOY STL, PLATED/COATED, 0.25-0.6% CARBON, NESOI | Wire (other than of stainless steel) |
| 7217905090 | WIRE IRON/NONALLOY STL, PLATED/COATED, >= 0.6% CARBON, NESOI | Wire (other than of stainless steel) |
| 7218100000 | STAINLESS STEEL INGOTS AND OTHER PRIMARY FORMS | Ingot and other primary forms of stainless steel |
| 7218910015 | SEMIFINISHED STAINLESS STL, RECTANGULAR CROSS SECTION, WIDTH < 4X THK, CS AREA < 232 CM2 | Blooms, billets and slabs of stainless steel and other products |
| 7218910030 | SEMIFINISHED STAINLESS STL, RECTANGULAR CROSS SECTION, WIDTH < 4X THK, CS AREA >= 232 CM2 | Blooms, billets and slabs of stainless steel and other products |
| 7218910060 | SEMIFINISHED STAINLESS STL, RECTANGULAR CROSS SECTION, WIDTH >= 4X THK | Blooms, billets and slabs of stainless steel and other products |
| 7218990015 | SEMIFINISHED STAINLESS STL, SQUARE CROSS SECTION, CS AREA < 232 CM2 | Blooms, billets and slabs of stainless steel and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--|
| 7218990030 | SEMIFINISHED STAINLESS STL, SQUARE CROSS SECTION, CS AREA >= 232 CM2 | Blooms, billets and slabs of stainless steel and other products |
| 7218990045 | SEMIFINISHED STAINLESS STL, CIRCULAR CROSS SECTION, CS AREA < 232 CM2 | Blooms, billets and slabs of stainless steel and other products |
| 7218990060 | SEMIFINISHED STAINLESS STL, CIRCULAR CROSS SECTION, CS AREA >= 232 CM2 | Blooms, billets and slabs of stainless steel and other products |
| 7218990090 | SEMIFINISHED STAINLESS STL, CROSS SECTION OTHER THAN RECT/SQ/CIRC, NESOI | Blooms, billets and slabs of stainless steel and other products |
| 7219110030 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1575MM, HOT-RLD, COILS, THK > 10MM | Hot-rolled plate of stainless steel, in coils, and other products, |
| 7219110060 | FLAT-ROLLED STAINLESS STL, WIDTH > 1575MM, HOT-RLD, COILS, THK > 10MM | Hot-rolled plate of stainless steel, in coils, and other products, |
| 7219120002 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, HOT-RLD, COILS, THK 4.75-10MM, NOT ANNEALED/PICKLED | Hot-rolled plate of stainless steel, in coils, and other products, |
| 7219120006 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, HOT-RLD, COILS, THK 4.75-10MM, HIGH-NICKEL ALLOY STL | Hot-rolled plate of stainless steel, in coils, and other products, |
| 7219120021 | FLAT-ROLLED STAINLESS STL, WIDTH 1370-1575MM, HOT-RLD, COILS, THK 6.8-10MM | Hot-rolled plate of stainless steel, in coils, and other products, |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7219120026 | FLAT-ROLLED STAINLESS STL, WIDTH > 1575MM, HOT-RLD, COILS, THK 6.8-10MM | Hot-rolled plate of stainless steel, in coils, and other products, |
| 7219120051 | FLAT-ROLLED STAINLESS STL, WIDTH 1370-1575MM, HOT-RLD, COILS, THK 4.75-6.8MM | Hot-rolled plate of stainless steel, in coils, and other products, |
| 7219120056 | FLAT-ROLLED STAINLESS STL, WIDTH > 1575MM, HOT-RLD, COILS, THK 4.75-6.8MM | Hot-rolled plate of stainless steel, in coils, and other products, |
| 7219120066 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, HOT-RLD, COILS, THK 4.75-10MM, > 0.5% NICKEL, 1.5-5% MOLYBDENUM | Hot-rolled plate of stainless steel, in coils, and other products, |
| 7219120071 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, HOT-RLD, COILS, THK 4.75-10MM, > 0.5% NICKEL, NESOI | Hot-rolled plate of stainless steel, in coils, and other products, |
| 7219120081 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, HOT-RLD, COILS, THK 4.75-10MM, NESOI | Hot-rolled plate of stainless steel, in coils, and other products, |
| 7219130002 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, HOT-RLD, COILS, THK 3-4.75MM, NOT ANNEALED/PICKLED | Hot-rolled sheet of stainless steel |
| 7219130031 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, HOT-RLD, COILS, THK 3-4.75MM, NESOI | Hot-rolled sheet of stainless steel |
| 7219130051 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, HOT-RLD, COILS, THK 3-4.75MM, 0.5-24% NI, 1.5-5% MO | Hot-rolled sheet of stainless steel |
| 7219130071 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, HOT-RLD, COILS, THK 3-4.75MM, 0.5-24% NI, NESOI | Hot-rolled sheet of stainless steel |
| 7219130081 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, HOT-RLD, COILS, THK 3-4.75MM, NESOI | Hot-rolled sheet of stainless steel |
| 7219140030 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, HOT-RLD, COILS, THK < 3MM | Hot-rolled sheet of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---|
| 7219140065 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, HOT-RLD, COILS, THK < 3MM, HIGH-NICKEL ALLOY STL | Hot-rolled sheet of stainless steel |
| 7219140090 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, HOT-RLD, COILS, THK < 3MM, NESOI | Hot-rolled sheet of stainless steel |
| 7219210005 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, HOT-RLD, NOT COILS, THK > 10MM, HIGH-NICKEL ALLOY STL | Flat-rolled products of stainless steel |
| 7219210020 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1575MM, HOT-RLD, NOT COILS, THK > 10MM | Flat-rolled products of stainless steel |
| 7219210040 | FLAT-ROLLED STAINLESS STL, WIDTH 1575-1880MM, HOT-RLD, NOT COILS, THK > 10MM | Flat-rolled products of stainless steel |
| 7219210060 | FLAT-ROLLED STAINLESS STL, WIDTH > 1880MM, HOT-RLD, NOT COILS, THK > 10MM | Flat-rolled products of stainless steel |
| 7219220005 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, HOT-RLD, NOT COILS, THK 4.75-10MM, HIGH-NICKEL ALLOY STL | Flat-rolled products of stainless steel |
| 7219220015 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1575MM, HOT-RLD, NOT COILS, THK 4.75-10MM, > 0.5% NICKEL, 1.5-5% MOLYBDENUM | Flat-rolled products of stainless steel |
| 7219220020 | FLAT-ROLLED STAINLESS STL, WIDTH 1575-1880MM, HOT-RLD, NOT COILS, THK 4.75-10MM, > 0.5% NICKEL, 1.5-5% MOLYBDENUM | Flat-rolled products of stainless steel |
| 7219220025 | FLAT-ROLLED STAINLESS STL, WIDTH > 1880MM, HOT-RLD, NOT COILS, THK 4.75-10MM, > 0.5% NICKEL, 1.5-5% MOLYBDENUM | Flat-rolled products of stainless steel |
| 7219220035 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1575MM, HOT-RLD, NOT COILS, THK 4.75-10MM, > 0.5% NICKEL, NESOI | Flat-rolled products of stainless steel |
| 7219220040 | FLAT-ROLLED STAINLESS STL, WIDTH 1575-1880MM, HOT-RLD, NOT COILS, THK 4.75-10MM, > 0.5% NICKEL, NESOI | Flat-rolled products of stainless steel |
| 7219220045 | FLAT-ROLLED STAINLESS STL, WIDTH > 1880MM, HOT-RLD, NOT COILS, THK 4.75-10MM, > 0.5% NICKEL, NESOI | Flat-rolled products of stainless steel |
| 7219220070 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1575MM, HOT-RLD, NOT COILS, THK 4.75-10MM, NESOI | Flat-rolled products of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7219220075 | FLAT-ROLLED STAINLESS STL, WIDTH 1575-1880MM, HOT-RLD, NOT COILS, THK 4.75-10MM, NESOI | Flat-rolled products of stainless steel |
| 7219220080 | FLAT-ROLLED STAINLESS STL, WIDTH > 1880MM, HOT-RLD, NOT COILS, THK 4.75-10MM, NESOI | Flat-rolled products of stainless steel |
| 7219230030 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, HOT-RLD, NOT COILS, THK 3-4.75MM | Hot-rolled sheet of stainless steel |
| 7219230060 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, HOT-RLD, NOT COILS, THK 3-4.75MM | Hot-rolled sheet of stainless steel |
| 7219240030 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, HOT-RLD, NOT COILS, THK < 3MM | Hot-rolled sheet of stainless steel |
| 7219240060 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, HOT-RLD, NOT COILS, THK < 3MM | Hot-rolled sheet of stainless steel |
| 7219310010 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK >= 4.75MM, COILS | Cold-rolled plate of stainless steel, in coils |
| 7219310050 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK >= 4.75MM, NOT COILS | Flat-rolled products of stainless steel |
| 7219320005 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, COLD-RLD, THK 3-4.75MM, COILS, HIGH-NICKEL ALLOY STL | Cold-rolled sheet of stainless steel |
| 7219320020 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, COLD-RLD, THK 3-4.75MM, COILS, > 0.5% NICKEL | Cold-rolled sheet of stainless steel |
| 7219320025 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, COLD-RLD, THK 3-4.75MM, COILS, | Cold-rolled sheet of stainless steel |
| 7219320035 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 3-4.75MM, COILS, HIGH-NICKEL ALLOY STL | Cold-rolled sheet of stainless steel |
| 7219320036 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 3-4.75MM, COILS, > 0.5% NICKEL, 1.5-5% MOLYBDENUM | Cold-rolled sheet of stainless steel |
| 7219320038 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 3-4.75MM, COILS, > 0.5% NICKEL, NESOI | Cold-rolled sheet of stainless steel |
| 7219320042 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 3-4.75MM, COILS, | Cold-rolled sheet of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--------------------------------------|
| 7219320044 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 3-4.75MM, COILS, | Cold-rolled sheet of stainless steel |
| 7219320045 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, COLD-RLD, THK 3-4.75MM, NOT COILS | Cold-rolled sheet of stainless steel |
| 7219320060 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 3-4.75MM, NOT COILS | Cold-rolled sheet of stainless steel |
| 7219330005 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, COLD-RLD, THK 1-3MM, COILS, HIGH-NICKEL ALLOY STL | Cold-rolled sheet of stainless steel |
| 7219330020 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, COLD-RLD, THK 1-3MM, COILS, > 0.5% NICKEL | Cold-rolled sheet of stainless steel |
| 7219330025 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, COLD-RLD, THK 1-3MM, COILS, | Cold-rolled sheet of stainless steel |
| 7219330035 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 1-3MM, COILS, HIGH-NICKEL ALLOY STL | Cold-rolled sheet of stainless steel |
| 7219330036 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 1-3MM, COILS, > 0.5% NICKEL, 1.5-5% MOLYBDENUM | Cold-rolled sheet of stainless steel |
| 7219330038 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 1-3MM, COILS, > 0.5% NICKEL, NESOI | Cold-rolled sheet of stainless steel |
| 7219330042 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 1-3MM, COILS, | Cold-rolled sheet of stainless steel |
| 7219330044 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 1-3MM, COILS, | Cold-rolled sheet of stainless steel |
| 7219330045 | FLAT-ROLLED STAINLESS STL, WIDTH >= 1370MM, COLD-RLD, THK 1-3MM, NOT COILS | Cold-rolled sheet of stainless steel |
| 7219330070 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 1-3MM, NOT COILS, 0.5-24% NICKEL | Cold-rolled sheet of stainless steel |
| 7219330080 | FLAT-ROLLED STAINLESS STL, WIDTH 600-1370MM, COLD-RLD, THK 1-3MM, NOT COILS, NESOI | Cold-rolled sheet of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--------------------------------------|
| 7219340005 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK 0.5-1MM, COILS, HIGH-NICKEL ALLOY STL | Cold-rolled sheet of stainless steel |
| 7219340020 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK 0.5-1MM, COILS, > 0.5% NICKEL, 1.5-5% MOLYBDENUM | Cold-rolled sheet of stainless steel |
| 7219340025 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK 0.5-1MM, COILS, > 0.5% NICKEL, NESOI | Cold-rolled sheet of stainless steel |
| 7219340030 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK 0.5-1MM, COILS, | Cold-rolled sheet of stainless steel |
| 7219340035 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK 0.5-1MM, COILS, | Cold-rolled sheet of stainless steel |
| 7219340050 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK 0.5-1MM, NOT COILS | Cold-rolled sheet of stainless steel |
| 7219350005 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK < 0.5MM, COILS, 0.5-24% NICKEL, 1.5-5% MOLYBDENUM | Cold-rolled sheet of stainless steel |
| 7219350015 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK < 0.5MM, COILS, 0.5-24% NICKEL, NESOI | Cold-rolled sheet of stainless steel |
| 7219350030 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK < 0.5MM, COILS, NICKEL CONTENT NESOI, < 15% CHROMIUM | Cold-rolled sheet of stainless steel |
| 7219350035 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK < 0.5MM, COILS, NICKEL CONTENT NESOI, NESOI | Cold-rolled sheet of stainless steel |
| 7219350050 | FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, COLD-RLD, THK < 0.5MM, NOT COILS | Cold-rolled sheet of stainless steel |
| 7219900010 | OTHER FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, FURTHER WORKED THAN COLD-RLD, HIGH-NICKEL ALLOY STL, NESOI | Cold-rolled sheet of stainless steel |
| 7219900020 | OTHER FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, FURTH WRKD THAN COLD-RLD, > 0.5% NICKEL, 1.5-5% MOLYBDENUM, NESOI | Cold-rolled sheet of stainless steel |
| 7219900025 | OTHER FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, FURTHER WORKED THAN COLD-RLD, > 0.5% NICKEL, NESOI | Cold-rolled sheet of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7219900060 | OTHER FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, FURTHER WORKED THAN COLD-RLD, | Cold-rolled sheet of stainless steel |
| 7219900080 | OTHER FLAT-ROLLED STAINLESS STL, WIDTH >= 600MM, FURTHER WORKED THAN COLD-RLD, | Cold-rolled sheet of stainless steel |
| 7220110000 | FLAT-ROLLED STAINLESS STL, WIDTH < 600MM, HOT-RLD, THK >= 4.75MM | Flat-rolled products of stainless steel |
| 7220121000 | FLAT-ROLLED STAINLESS STL, WIDTH 300-600MM, HOT-RLD, THK < 4.75MM | Hot-rolled strip of stainless steel and other products |
| 7220125000 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, HOT-RLD, THK < 4.75MM | Hot-rolled strip of stainless steel and other products |
| 7220201010 | FLAT-ROLLED STAINLESS STL, WIDTH 300-600MM, COLD-RLD, 0.5-24% NICKEL, 1.5-5% MOLYBDENUM | Cold-rolled strip of stainless steel |
| 7220201015 | FLAT-ROLLED STAINLESS STL, WIDTH 300-600MM, COLD-RLD, 0.5-24% NICKEL, NESOI | Cold-rolled strip of stainless steel |
| 7220201060 | FLAT-ROLLED STAINLESS STL, WIDTH 300-600MM, COLD-RLD, NICKEL CONTENT NESOI, < 15% CHROMIUM | Cold-rolled strip of stainless steel |
| 7220201080 | FLAT-ROLLED STAINLESS STL, WIDTH 300-600MM, COLD-RLD, NICKEL CONTENT NESOI, NESOI | Cold-rolled strip of stainless steel |
| 7220206005 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK > 1.25MM, HIGH-NICKEL ALLOY STL | Cold-rolled strip of stainless steel |
| 7220206010 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK > 1.25MM, > 0.5% NICKEL, 1.5-5% MOLYBDENUM | Cold-rolled strip of stainless steel |
| 7220206015 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK > 1.25MM, > 0.5% NICKEL, NESOI | Cold-rolled strip of stainless steel |
| 7220206060 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK > 1.25MM, | Cold-rolled strip of stainless steel |
| 7220206080 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK > 1.25MM, | Cold-rolled strip of stainless steel |
| 7220207005 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK 0.25-1.25MM, HIGH-NICKEL ALLOY STL | Cold-rolled strip of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7220207010 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK 0.25-1.25MM, > 0.5% NICKEL, 1.5-5% MOLYBDENUM | Cold-rolled strip of stainless steel |
| 7220207015 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK 0.25-1.25MM, > 0.5% NICKEL, NESOI | Cold-rolled strip of stainless steel |
| 7220207060 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK 0.25-1.25MM, | Cold-rolled strip of stainless steel |
| 7220207080 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK 0.25-1.25MM, | Cold-rolled strip of stainless steel |
| 7220208000 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK | Cold-rolled strip of stainless steel |
| 7220209030 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK | Cold-rolled strip of stainless steel |
| 7220209060 | FLAT-ROLLED STAINLESS STL, WIDTH < 300MM, COLD-RLD, THK | Cold-rolled strip of stainless steel |
| 7220900010 | OTHER FLAT-ROLLED STAINLESS STL, WIDTH < 600MM, FURTH WRKD THAN COLD-RLD, 0.5-24% NICKEL, 1.5-5% MOLYBDENUM | Cold-rolled strip of stainless steel |
| 7220900015 | OTHER FLAT-ROLLED STAINLESS STL, WIDTH < 600MM, FURTH WRKD THAN COLD-RLD, 0.5-24% NICKEL, NESOI | Cold-rolled strip of stainless steel |
| 7220900060 | OTHER FLAT-ROLLED STAINLESS STL, WIDTH < 600MM, FURTH WRKD THAN COLD-RLD, NICKEL CONTENT NESOI, < 15% CHROMIUM | Cold-rolled strip of stainless steel |
| 7220900080 | OTHER FLAT-ROLLED STAINLESS STL, WIDTH < 600MM, FURTH WRKD THAN COLD-RLD, NICKEL CONTENT NESOI, NESOI | Cold-rolled strip of stainless steel |
| 7221000005 | BARS/RODS STAINLESS STL, HOT-RLD, IRR COILS, HIGH-NICKEL ALLOY STL | Bars and rods of stainless steel, hot-rolled |
| 7221000015 | SS BARS/RODS COLIS CIRC CS DIAM LS THN 14MM, OTHER | Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel |
| 7221000017 | BARS/RODS STAINLESS STL, IRR COILS, HOT-RLD, NOT HIGH-NICKEL ALLOY STL, CIRC CS < 14MM DIAM, < 8% NICKEL | Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel |

| HTS Code | HTS Description | Quota Category |
|------------|--|---|
| 7221000018 | BARS/RODS STAINLESS STL, IRR COILS, HOT-RLD, NOT HIGH-NICKEL ALLOY STL, CIRC CS < 14MM DIAM, 8-24% NICKEL | Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel |
| 7221000030 | BARS/RODS STAINLESS STL, IRR COILS, HOT-RLD, NOT HIGH-NICKEL ALLOY STL, CIRC CS 14-19MM DIAM, 8-24% NICKEL | Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel |
| 7221000045 | BARS/RODS STAINLESS STL, HOT-RLD, IRR COILS, NOT HIGH-NICKEL ALLOY, CIRC CS >= 19MM DIAM | Bars and rods of stainless steel, hot-rolled |
| 7221000075 | BARS/RODS STAINLESS STL, HOT-RLD, IRR COILS, NOT HIGH-NICKEL ALLOY, NOT CIRC CS, NESOI | Bars and rods of stainless steel, hot-rolled |
| 7222110001 | OTHER BARS/RODS STAINLESS STL, HOT-RLD/DRWN/EXTRD, CIRC CS, ELECTROSLAG/VACUUM ARC REMELTED | Bars and rods of stainless steel, hot-rolled |
| 7222110005 | BARS&RODS STAINL STL HOT-WKED HI-NI ALLOY STL CIR | Bars and rods of stainless steel, hot-rolled |
| 7222110006 | OTHER BARS/RODS STAINLESS STL, HOT-RLD/DRWN/EXTRD, CIRCULAR CROSS SECTION, HIGH-NICKEL ALLOY STL | Bars and rods of stainless steel, hot-rolled |
| 7222110050 | BARS&RODS STAINL STL HOT-WKD CIR X-SECTION NESOI | Bars and rods of stainless steel, hot-rolled |
| 7222110055 | BARS&RODS SS HT-WK CIR X-SEC MAX LT 152.4MM NESOI | Bars and rods of stainless steel, hot-rolled |
| 7222110056 | BARS RODS SS CIR XSEC MAX LT 152.4MM HOT-WRK NESOI | Bars and rods of stainless steel, hot-rolled |
| 7222110057 | OTHER BARS/RODS STAINLESS STL, HOT-RLD/DRWN/EXTRD, CIRC CROSS SECTION < 152.4MM, < 8% NICKEL | Bars and rods of stainless steel, hot-rolled |
| 7222110059 | OTHER BARS/RODS STAINLESS STL, HOT-RLD/DRWN/EXTRD, CIRC CROSS SECTION < 152.4MM, NESOI | Bars and rods of stainless steel, hot-rolled |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7222110080 | BARS&RODS SS HT-WK CIR X-SEC MAX GT=152.4MM NESOI | Bars and rods of stainless steel, hot-rolled |
| 7222110081 | BARS RODS SS CIR XSEC MAX GT=152.4MM HOT-WRK NESOI | Bars and rods of stainless steel, hot-rolled |
| 7222110082 | OTHER BARS/RODS STAINLESS STL, HOT-RLD/DRWN/EXTRD, CIRC CROSS SECTION >/= 152.4MM, < 8% NICKEL | Bars and rods of stainless steel, hot-rolled |
| 7222110084 | OTHER BARS/RODS STAINLESS STL, HOT-RLD/DRWN/EXTRD, CIRC CROSS SECTION >/= 152.4MM, NESOI | Bars and rods of stainless steel, hot-rolled |
| 7222190001 | OTHER BARS/RODS STAINLESS STL, HOT-RLD/DRWN/EXTRD, NOT CIRC CS, ELECTROSLAG/VACUUM ARC REMELTED | Bars and rods of stainless steel, hot-rolled |
| 7222190005 | BARS&RODS STAINL STL HOT-WKD HI-NI ALLOY ST NONCIR | Bars and rods of stainless steel, hot-rolled |
| 7222190006 | OTHER BARS/RODS STAINLESS STL, HOT-RLD/DRWN/EXTRD, NOT CIRCULAR CROSS SECTION, HIGH-NICKEL ALLOY STL | Bars and rods of stainless steel, hot-rolled |
| 7222190050 | BARS&RODS STAINL STL HOT-WKD NOT CIR X-SECTI NESOI | Bars and rods of stainless steel, hot-rolled |
| 7222190051 | BARS AND RODS OF STAINLESS STEEL, HOT-WORKED NESOI | Bars and rods of stainless steel, hot-rolled |
| 7222190052 | OTHER BARS/RODS STAINLESS STL, HOT-RLD/DRWN/EXTRD, NOT CIRCULAR CROSS SECTION, < 8% NICKEL | Bars and rods of stainless steel, hot-rolled |
| 7222190054 | OTHER BARS/RODS STAINLESS STL, HOT-RLD/DRWN/EXTRD, NOT CIRCULAR CROSS SECTION, NESOI | Bars and rods of stainless steel, hot-rolled |
| 7222200001 | OTHER BARS/RODS STAINLESS STL, COLD-FORMED/FINISHED, ELECTROSLAG/VACUUM ARC REMELTED | Bars and rods of stainless steel, cold finished |
| 7222200005 | OTH SS BARS/RODS COLD FORM O FINISH, HIGH-NI ALLOY | Bars and rods of stainless steel, cold finished |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7222200006 | OTHER BARS/RODS STAINLESS STL, COLD-FORMED/FINISHED, HIGH-NICKEL ALLOY STL | Bars and rods of stainless steel, cold finished |
| 7222200041 | OTHER BARS/RODS STAINLESS STL, COLD-FORMED/FINISHED, MAX CIRCULAR CROSS SECTION < 18MM, < 8% NICKEL | Bars and rods of stainless steel, cold finished |
| 7222200043 | OTHER BARS/RODS STAINLESS STL, COLD-FORMED/FINISHED, MAX CIRCULAR CROSS SECTION < 18MM, 8-24% NICKEL | Bars and rods of stainless steel, cold finished |
| 7222200045 | OTH SS BAR/ROD C-FRM O FIN MAX CS LS THN 18MM, OTH | Bars and rods of stainless steel, cold finished |
| 7222200046 | BARS RODS SS MAX XSECTION LT 18 MM COLD-WRKD NESOI | Bars and rods of stainless steel, cold finished |
| 7222200047 | BAR ROD SS LT 8% WT NIC MAX XSEC LT 18 MM CLD-WRKD | Bars and rods of stainless steel, cold finished |
| 7222200049 | BARS RODS SS MAX XSECTION LT 18 MM COLD-WRKD NESOI | Bars and rods of stainless steel, cold finished |
| 7222200062 | OTHER BARS/RODS STAINLESS STL, COLD-FORMED/FINISHED, MAX CIRCULAR CROSS SECTION 18-152.4MM, < 8% NICKEL | Bars and rods of stainless steel, cold finished |
| 7222200064 | OTHER BARS/RODS STAINLESS STL, COLD-FORMED/FINISHED, MAX CIRCULAR CROSS SECTION 18-152.4MM, 8-24% NICKEL | Bars and rods of stainless steel, cold finished |
| 7222200067 | OTHER BARS/RODS STAINLESS STL, COLD-FORMED/FINISHED, MAX CIRCULAR CROSS SECTION >= 152.4MM, < 8% NICKEL | Bars and rods of stainless steel, cold finished |
| 7222200069 | OTHER BARS/RODS STAINLESS STL, COLD-FORMED/FINISHED, MAX CIRCULAR CROSS SECTION >= 152.4MM, 8-24% NICKEL | Bars and rods of stainless steel, cold finished |
| 7222200071 | OTHER BARS/RODS STAINLESS STL, COLD-FORMED/FINISHED, NONCIRCULAR CROSS SECTION, < 8% NICKEL | Bars and rods of stainless steel, cold finished |
| 7222200073 | OTHER BARS/RODS STAINLESS STL, COLD-FORMED/FINISHED, NONCIRCULAR CROSS SECTION, 8-24% NICKEL | Bars and rods of stainless steel, cold finished |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7222200075 | OTH SS BARS/ROD COLD-FRM O FIN MAX CS 18MM AOV OTH | Bars and rods of stainless steel, cold finished |
| 7222200080 | BARS/ROD SS COLD-FRM/-FIN MAX C-S 18-152.4MM NESOI | Bars and rods of stainless steel, cold finished |
| 7222200081 | BARS RODS SS MAX XSEC 18-152.4MM COLD-WORKED NESOI | Bars and rods of stainless steel, cold finished |
| 7222200082 | BAR ROD SS LT 8% WT NIC MX XSEC 18-152.4MM COLD-WK | Bars and rods of stainless steel, cold finished |
| 7222200084 | BARS RODS SS MAX XSEC 18-152.4MM COLD-WORKED NESOI | Bars and rods of stainless steel, cold finished |
| 7222200085 | BARS/ROD SS COLD-FRM/-FIN MAX C-S GT=152.4MM NESOI | Bars and rods of stainless steel, cold finished |
| 7222200086 | BARS RODS SS MAX XSEC GT=152.4MM COLD-WORKED NESOI | Bars and rods of stainless steel, cold finished |
| 7222200087 | BAR ROD SS LT 8% WT NIC MX XSEC GT=152.4MM COLD-WK | Bars and rods of stainless steel, cold finished |
| 7222200089 | BARS RODS SS MAX XSEC GT=152.4MM COLD-WORKED NESOI | Bars and rods of stainless steel, cold finished |
| 7222300000 | BARS AND RODS, STAINLESS STEEL, NESOI | Bars and rods of stainless steel, cold finished |
| 7222300001 | OTHER BARS/RODS STAINLESS STL, FURTH WRKD THAN COLD-FRMD/FNSHD, ELECTROSLAG/VACUUM ARC REMELTED, NESOI | Bars and rods of stainless steel, cold finished |
| 7222300010 | BAR & RODS STNL STL MAX X-SEC DIM LT 152.4MM NESOI | Bars and rods of stainless steel, cold finished |
| 7222300011 | BARS RODS STNLS STL MAX XSEC DIM LT 152.4 MM NESOI | Bars and rods of stainless steel, cold finished |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7222300012 | OTHER BARS/RODS STAINLESS STL, FURTH WRKD THAN COLD-FRMD/FNSHD, HIGH-NICKEL ALLOY STL, NESOI | Bars and rods of stainless steel, cold finished |
| 7222300022 | OTHER BARS/RODS STAINLESS STL, FURTH WRKD THAN COLD-FRMD/FNSHD, MAX CS < 152.4MM, < 8% NICKEL, NESOI | Bars and rods of stainless steel, cold finished |
| 7222300024 | OTHER BARS/RODS STAINLESS STL, FURTH WRKD THAN COLD-FRMD/FNSHD, MAX CS < 152.4MM, NESOI | Bars and rods of stainless steel, cold finished |
| 7222300080 | BAR & RODS STNL STL MAX X-SEC DIM GT=152.4MM NESOI | Bars and rods of stainless steel, cold finished |
| 7222300081 | BARS RODS STNLS STL MAX XSEC DIM GT=152.4 MM NESOI | Bars and rods of stainless steel, cold finished |
| 7222300082 | OTHER BARS/RODS STAINLESS STL, FURTH WRKD THAN COLD-FRMD/FNSHD, MAX CS >= 152.4 MM, < 8% NICKEL, NESOI | Bars and rods of stainless steel, cold finished |
| 7222300084 | OTHER BARS/RODS STAINLESS STL, FURTH WRKD THAN COLD-FRMD/FNSHD, MAX CS >= 152.4 MM, NESOI | Bars and rods of stainless steel, cold finished |
| 7222403025 | ANGLES STAINLESS STL, HOT-RLD, NOT DRILLED/PUNCHED/ADVANCED, MAX CROSS SECTION >= 80MM | Angles, shapes and sections of stainless steel |
| 7222403045 | SHAPES/SECTIONS STAINLESS STL, HOT-RLD, NOT DRILLED/PUNCHED/ADVANCED, MAX CS >= 80MM | Angles, shapes and sections of stainless steel |
| 7222403065 | ANGLES STAINLESS STL, HOT-RLD, NOT DRILLED/PUNCHED/ADVANCED, MAX CROSS SECTION < 80MM | Bars and rods of stainless steel, hot-rolled |
| 7222403085 | SHAPES/SECTIONS STAINLESS STL, HOT-RLD, NOT DRILLED/PUNCHED/ADVANCED, MAX CROSS SECTION < 80MM | Bars and rods of stainless steel, hot-rolled |
| 7222406000 | Angles, shapes, and sections, other, of stainless steel | Angles, shapes and sections of stainless steel |
| 7223001005 | SPRING ROUND WIRE OF STAINLESS STEEL | Wire of stainless steel, drawn |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---|
| 7223001015 | WIRE STAINLESS STEEL ROUND UNDER 0.25MM DIAMETER | Wire of stainless steel, drawn |
| 7223001016 | ROUND WIRE STAINLESS STL, DIAM < 0.25MM | Wire of stainless steel, drawn |
| 7223001030 | WIRE STAINLESS STEEL ROUND 0.25-UNDER 0.76MM DIAM | Wire of stainless steel, drawn |
| 7223001031 | ROUND WIRE STAINLESS STL, DIAM 0.25-0.76MM | Wire of stainless steel, drawn |
| 7223001045 | WIRE STAINLESS STEEL ROUND 0.76-UNDER 1.52MM DIAM | Wire of stainless steel, drawn |
| 7223001046 | ROUND WIRE STAINLESS STL, DIAM 0.76-1.52MM | Wire of stainless steel, drawn |
| 7223001060 | WIRE STAINLESS STEEL ROUND 1.52-UNDER 5.1MM DIAM | Wire of stainless steel, drawn |
| 7223001061 | ROUND WIRE STAINLESS STL, DIAM 1.52-5.1MM | Wire of stainless steel, drawn |
| 7223001075 | WIRE STAINLESS STEEL ROUND 5.1MM OR MORE DIAMETER | Wire of stainless steel, drawn |
| 7223001076 | ROUND WIRE STAINLESS STL, DIAM >= 5.1MM | Wire of stainless steel, drawn |
| 7223005000 | FLAT WIRE OF STAINLESS STEEL | Wire of stainless steel, drawn |
| 7223009000 | WIRE STAINLESS STL, OTHER THAN ROUND OR FLAT | Wire of stainless steel, drawn |
| 7224100005 | INGOTS AND OTHER PRIMARY FORMS OF HIGH-NICKEL ALLOY STEEL | Ingots |
| 7224100045 | INGOTS/PRIMARY FORMS OF TOOL STEEL | Products of tool steel and other products |
| 7224100075 | INGOTS AND OTHER PRIMARY FORMS OF OTHER ALLOY STEEL | Ingots |
| 7224900005 | OTHER SEMIFINISHED OTH ALLOY STL, HIGH-NICKEL ALLOY STEEL | Blooms, billets and slabs, semi-finished |
| 7224900015 | SEMIFINISHED OTH ALLOY STL, TOOL STEEL, RECTANGULAR/SQUARE CROSS SECTION, WIDTH < 4X THK | Products of tool steel and other products |
| 7224900025 | SEMIFINISHED OTH ALLOY STL, TOOL STEEL, RECTANGULAR/SQUARE CROSS SECTION, WIDTH >= 4X THK | Products of tool steel and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7224900035 | SEMIFINISHED OTH ALLOY STL, TOOL STEEL, OTHER THAN RECTANGULAR/SQUARE CROSS SECTION | Products of tool steel and other products |
| 7224900045 | OTHER SEMIFINISHED OTH ALLOY STL, NOT TOOL STL, RECTANGULAR/SQUARE CROSS SECTION, WIDTH < 4X THK | Blooms, billets and slabs, semi-finished |
| 7224900055 | OTHER SEMIFINISHED OTH ALLOY STL, NOT TOOL STL, RECTANGULAR/SQUARE CROSS SECTION, WIDTH >= 4X THK | Blooms, billets and slabs, semi-finished |
| 7224900065 | OTHER SEMIFINISHED OTH ALLOY STL, NOT TOOL STL, CIRCULAR CROSS SECTION | Blooms, billets and slabs, semi-finished |
| 7224900075 | OTHER SEMIFINISHED OTH ALLOY STL, NOT TOOL STL, CROSS SECTION OTHER THAN RECT/SQ/CIRC, NESOI | Blooms, billets and slabs, semi-finished |
| 7225110000 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, SILICON ELECTRICAL STL, GRAIN-ORIENTED | Silicon electrical steel sheets and strip |
| 7225190000 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, SILICON ELECTRICAL STL, NOT GRAIN-ORIENTED | Silicon electrical steel sheets and strip |
| 7225301110 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, COILS, THK >= 4.75MM, TOOL STL, HIGH-SPEED STL | Products of tool steel and other products |
| 7225301180 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, COILS, THK >= 4.75MM, TOOL STL, NESOI | Products of tool steel and other products |
| 7225303005 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, COILS, THK >= 4.75MM, HIGH-NICKEL ALLOY STL | Hot-rolled plate, in coils |
| 7225303050 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, COILS, THK >= 4.75MM, NESOI | Hot-rolled plate, in coils |
| 7225305110 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, COILS, THK < 4.75MM, TOOL STL, HIGH-SPEED STL | Products of tool steel and other products |
| 7225305130 | FR BLL-BRG STL 600MM W AO HR CLS UN 4.75MM THCK | Products of tool steel and other products |
| 7225305160 | FR OTH TOOL STL 600MM W AO HR CLS UN 4.75MM THCK | Products of tool steel and other products |
| 7225305180 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, COILS, THK < 4.75MM, TOOL STL, NESOI | Products of tool steel and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---|
| 7225307000 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, COILS, THK < 4.75MM, NOT TOOL STL, NESOI | Hot-rolled sheet |
| 7225401110 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT COILS, THK >= 4.75MM, TOOL STL, HIGH-SPEED STL | Products of tool steel and other products |
| 7225401180 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT COILS, THK >= 4.75MM, TOOL STL, NESOI | Products of tool steel and other products |
| 7225401190 | FR OTH TOOL STL 600MM W AO HR NCL 4.75MM AO THCK | Products of tool steel and other products |
| 7225403005 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT COILS, THK >= 4.75MM, HIGH-NICKEL ALLOY STL | Plate in cut lengths |
| 7225403050 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT COILS, THK >= 4.75MM, NESOI | Plate in cut lengths |
| 7225405110 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT COILS, THK < 4.75MM, TOOL STL, HIGH-SPEED STL | Products of tool steel and other products |
| 7225405130 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT COILS, THK < 4.75MM, TOOL STL, BALL-BEARING STL | Products of tool steel and other products |
| 7225405160 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT COILS, THK < 4.75MM, TOOL STL, NESOI | Products of tool steel and other products |
| 7225407000 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, HOT-RLD, NOT COILS, THK < 4.75MM, NOT TOOL STL, NESOI | Hot-rolled sheet |
| 7225501110 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, COLD-RLD, TOOL STEEL, HIGH-SPEED STL | Products of tool steel and other products |
| 7225501130 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, COLD-RLD, TOOL STEEL, BALL-BEARING STL | Products of tool steel and other products |
| 7225501160 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, COLD-RLD, TOOL STEEL, NESOI | Products of tool steel and other products |
| 7225506000 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, COLD-RLD, THK >= 4.75MM, NESOI | Plate in cut lengths |
| 7225507000 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, COLD-RLD, THK < 4.75MM, HEAT-RESISTING STL | Cold-rolled sheet, and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--|
| 7225508010 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, COLD-RLD, THK < 4.75MM, HIGH-NICKEL ALLOY STL | Cold-rolled sheet, and other products |
| 7225508080 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, COLD-RLD, THK < 4.75MM, NESOI | Cold-rolled sheet, and other products |
| 7225508085 | FR ALLOY STL NT TOOL 600MM AO CR UN4.75MM THK NESO | Cold-rolled sheet, and other products |
| 7225910000 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, FURTH WRKD THAN COLD-RLD, ELECTROLYTICALLY PLATD/COATD W/ ZINC, NESOI | Sheets and strip electrolytically coated or plated with zinc |
| 7225920000 | FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, FURTH WRKD THAN COLD-RLD, PLATD/COATD W/ ZINC (NOT ELETROLYTICALLY), NESOI | Flat-rolled products, hot-dipped |
| 7225990010 | OTHER FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, FURTH WRKD THAN COLD-RLD, HIGH-NICKEL ALLOY STL, NESOI | Cold-rolled sheet, and other products |
| 7225990090 | OTHER FLAT-ROLLED OTH ALLOY STL, WIDTH >= 600MM, FURTH WRKD THAN COLD-RLD, NOT HIGH-NICKEL ALLOY STL, NESOI | Cold-rolled sheet, and other products |
| 7226111000 | FLAT-ROLLED OTH ALLOY STL, WIDTH 300-600MM, SILICON ELECTRICAL STL, GRAIN-ORIENTED | Silicon electrical steel sheets and strip |
| 7226119030 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, SILICON ELECTRICAL STL, GRAIN-ORIENTED, THK | Silicon electrical steel sheets and strip |
| 7226119060 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, SILICON ELECTRICAL STL, GRAIN-ORIENTED, THK > 0.25MM | Silicon electrical steel sheets and strip |
| 7226191000 | FLAT-ROLLED OTH ALLOY STL, WIDTH 300-600MM, SILICON ELECTRICAL STL, NOT GRAIN-ORIENTED | Silicon electrical steel sheets and strip |
| 7226199000 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, SILICON ELECTRICAL STL, NOT GRAIN-ORIENTED | Silicon electrical steel sheets and strip |
| 7226200000 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 600MM, HIGH-SPEED STL | Products of tool steel and other products |
| 7226910500 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 600MM, HOT-RLD, TOOL STEEL OTH THAN HIGH-SPEED, CHIPPER KNIFE STL | Products of tool steel and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7226911530 | FLAT-ROLLED OTH ALLOY STL, WIDTH 300-600MM, HOT-RLD, TOOL STEEL OTH THAN HIGH-SPEED, BALL-BEARING STL | Products of tool steel and other products |
| 7226911560 | FLAT-ROLLED OTH ALLOY STL, WIDTH 300-600MM, HOT-RLD, TOOL STEEL OTH THAN HIGH-SPEED, NESOI | Products of tool steel and other products |
| 7226912530 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, HOT-RLD, TOOL STEEL OTH THAN HIGH-SPEED, BALL-BEARING STL | Products of tool steel and other products |
| 7226912560 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, HOT-RLD, TOOL STEEL OTH THAN HIGH-SPEED, NESOI | Products of tool steel and other products |
| 7226915000 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 600MM, HOT-RLD, THK >= 4.75MM, NESOI | Plate in cut lengths |
| 7226917000 | FLAT-ROLLED OTH ALLOY STL, WIDTH 300-600MM, HOT-RLD, NOT TOOL STL, THK < 4.75MM | Hot-rolled strip |
| 7226918000 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, HOT-RLD, NOT TOOL STL, THK < 4.75MM | Hot-rolled strip |
| 7226921030 | FLAT-ROLLED OTH ALLOY STL, WIDTH 300-600MM, COLD-RLD, TOOL STEEL OTH THAN HIGH-SPEED, BALL-BEARING STL | Products of tool steel and other products |
| 7226921060 | FLAT-ROLLED OTH ALLOY STL, WIDTH 300-600MM, COLD-RLD, TOOL STEEL OTH THAN HIGH-SPEED, NESOI | Products of tool steel and other products |
| 7226923030 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, COLD-RLD, TOOL STEEL OTH THAN HIGH-SPEED, BALL-BEARING STL | Products of tool steel and other products |
| 7226923060 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, COLD-RLD, TOOL STEEL OTH THAN HIGH-SPEED, NESOI | Products of tool steel and other products |
| 7226925000 | FLAT-ROLLED OTH ALLOY STL, WIDTH 300-600MM, COLD-RLD, NOT TOOL STL | Cold-rolled strip, and other products |
| 7226927005 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, COLD-RLD, NOT TOOL STL, THK | Cold-rolled strip, and other products |
| 7226927050 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, COLD-RLD, NOT TOOL STL, THK | Cold-rolled strip, and other products |
| 7226928005 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, COLD-RLD, NOT TOOL STL, THK > 0.25MM, HIGH-NICKEL ALLOY STL | Cold-rolled strip, and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--|
| 7226928050 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 300MM, COLD-RLD, NOT TOOL STL, THK > 0.25MM, NESOI | Cold-rolled strip, and other products |
| 7226990110 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 600MM, FURTH WRKD THAN COLD-RLD, ELECTROLYTICALLY PLATD/COATD W/ ZINC, NESOI | Sheets and strip electrolytically coated or plated with zinc |
| 7226990130 | FLAT-ROLLED OTH ALLOY STL, WIDTH < 600MM, FURTH WRKD THAN COLD-RLD, PLATD/COATD W/ ZINC (NOT ELECTROLYTICALLY), NESOI | Flat-rolled products, hot-dipped |
| 7226990180 | OTHER FLAT-ROLLED OTH ALLOY STL, WIDTH < 600MM, FURTHER WORKED THAN COLD-RLD, NESOI | Cold-rolled strip, and other products |
| 7227100000 | BARS/RODS OTH ALLOY STL, HOT-RLD, IRR COILS, HIGH-SPEED STL | Products of tool steel and other products |
| 7227200000 | BARS&RODS SILICO-MANGANESE STEEL, OTHER | Bars and rods, hot-rolled, in irregularly wound coils |
| 7227200030 | BARS/RODS SILICO-MANGANESE STL, IRR COILS, HOT-RLD, WELDING QUALITY WIRE RODS, STAT NOTE 6 | Bars and rods, hot-rolled, in irregularly wound coils |
| 7227200080 | BARS/RODS SILICO-MANGANESE STL, HOT-RLD, IRR COILS, NESOI | Bars, hot-rolled, not of stainless steel |
| 7227901030 | BARS/RODS TOOL STL (NOT HIGH-SPEED), HOT-RLD, IRR COILS, NOT TEMPRD/TREATD/PARTLY MFTD, BALL-BEARING STL | Products of tool steel and other products |
| 7227901060 | BARS/RODS TOOL STL (NOT HIGH-SPEED), HOT-RLD, IRR COILS, NOT TEMPRD/TREATD/PARTLY MFTD, NESOI | Products of tool steel and other products |
| 7227902030 | BARS/RODS TOOL STL (NOT HIGH-SPEED), HOT-RLD, IRR COILS, OTH TEMPRD/TREATD/PARTLY MFTD, BALL-BEARING STL | Products of tool steel and other products |
| 7227902060 | BARS/RODS TOOL STL (NOT HIGH-SPEED), HOT-RLD, IRR COILS, OTH TEMPRD/TREATD/PARTLY MFTD, NESOI | Products of tool steel and other products |
| 7227906005 | BARS/RODS OTHER ALLOY STL, HOT-RLD, IRR COILS, NOT TOOL STL, HIGH-NICKEL ALLOY STL | Bars, hot-rolled, not of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7227906010 | BARS/RODS OTHER ALLOY STL, HOT-RLD, IRR COILS, NOT TOOL STL, COLD HEADING QUALITY STL, STAT NOTE 5 | Bars, hot-rolled, not of stainless steel |
| 7227906020 | BARS/RODS OTHER ALLOY STL, IRR COILS, HOT-RLD, NOT TOOL STL, WELDING QUALITY WIRE RODS | Bars and rods, hot-rolled, in irregularly wound coils |
| 7227906030 | BARS/RODS OTHER ALLOY STL, IRR COILS, HOT-RLD, NOT TOOL STL, CIRC CS, DIAM < 14MM | Bars and rods, hot-rolled, in irregularly wound coils |
| 7227906035 | BARS/RODS OTHER ALLOY STL, IRR COILS, HOT-RLD, NOT TOOL STL, CIRC CS, DIAM 14-19MM | Bars and rods, hot-rolled, in irregularly wound coils |
| 7227906040 | BARS/RODS OTHER ALLOY STL, HOT-RLD, IRR COILS, NOT TOOL STL, CIRC CS, DIAM >= 19MM | Bars, hot-rolled, not of stainless steel |
| 7227906080 | BARS/RODS ALLOY STEEL, HOT-ROLL, IRREG COIL, NESOI | Bars, hot-rolled, not of stainless steel |
| 7227906085 | BARS/RODS ALLOY STEEL, HOT-ROLL, IRREG COIL, NESOI | Bars, hot-rolled, not of stainless steel |
| 7227906090 | BARS/RODS OTHER ALLOY STL, HOT-RLD, IRR COILS, NOT TOOL STL, NESOI | Bars, hot-rolled, not of stainless steel |
| 7228100010 | OTHER BARS/RODS OTH ALLOY STL, HIGH-SPEED STL, NOT COLD-FORMED | Products of tool steel and other products |
| 7228100030 | OTHER BARS/RODS OTH ALLOY STL, HIGH-SPEED STL, COLD-FORMED, MAX CROSS SECTION < 18MM | Products of tool steel and other products |
| 7228100060 | OTHER BARS/RODS OTH ALLOY STL, HIGH-SPEED STL, COLD-FORMED, MAX CROSS SECTION >= 18MM | Products of tool steel and other products |
| 7228201000 | OTHER BARS/RODS SILICO-MANGANESE STL, NOT COLD-FORMED | Bars, hot-rolled, not of stainless steel |
| 7228205000 | OTHER BARS/RODS SILICO-MANGANESE STL, COLD-FORMED | Bars, cold-finished, not of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7228302000 | OTHER BARS/RODS OTH ALLOY STL, HOT-RLD/DRWN/EXTRD, TOOL STEEL (NOT HIGH-SPEED), BALL-BEARING STL | Products of tool steel and other products |
| 7228304000 | OTH BARS/RODS OTH ALLOY STL, HOT-RLD/DRWN/EXTRD, TOOL STL (NOT HI-SPEED), NOT CLD-FRMD, CHPPER KNIFE STL | Products of tool steel and other products |
| 7228306000 | OTHER BARS/RODS OTH ALLOY STL, HOT-RLD/DRWN/EXTRD, TOOL STEEL (NOT HIGH-SPEED), NESOI | Products of tool steel and other products |
| 7228308005 | OTHER BARS/RODS OTHER ALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, HIGH-NICKEL ALLOY STL | Bars, hot-rolled, not of stainless steel |
| 7228308010 | CONCRETE REINFORCING BARS/RODS OTH ALLOY STL, HOT-RLD/DRAWN/EXTRUDED | Reinforcing bars |
| 7228308015 | OTHER BARS/RODS OTHER ALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, DIAM < 76MM | Bars, hot-rolled, not of stainless steel |
| 7228308040 | BARS/RODS ALY STEEL HOT-ROLL/DRW DI 76-228MM NESOI | Bars, hot-rolled, not of stainless steel |
| 7228308041 | OTHER BARS/RODS OTHER ALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, DIAM 76-152MM | Bars, hot-rolled, not of stainless steel |
| 7228308045 | OTHER BARS/RODS OTHER ALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, DIAM 152-228MM | Bars, hot-rolled, not of stainless steel |
| 7228308050 | OTHER BARS/RODS OF OTHER ALLOY STEEL, HOT-WORKED | Bars, hot-rolled, not of stainless steel |
| 7228308060 | BARS/RODS OF OTHER ALLOY STEEL, HOT-WORKED, NESOI | Bars, hot-rolled, not of stainless steel |
| 7228308070 | OTHER BARS/RODS OTHER ALLOY STL, HOT-ROLLED/DRAWN/EXTRUDED, DIAM > 228MM | Bars, hot-rolled, not of stainless steel |
| 7228400000 | OTHER BARS/RODS OTHER ALLOY STL, FORGED | Bars, hot-rolled, not of stainless steel |
| 7228501010 | OTHER BARS/RODS OTH ALLOY STL, COLD-FRMD/FNSHD, TOOL STEEL (NOT HIGH-SPEED), BALL-BEARING STL | Products of tool steel and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7228501020 | OTHER BARS/RODS TOOL STL (NOT HIGH-SPEED), COLD-FRMD/FNSHD, ROUND/RECT CS < 18MM, GRND/MLLD/PLSHD SURFACE | Products of tool steel and other products |
| 7228501040 | OTHER BARS/RODS TOOL STL (NOT HIGH-SPEED), COLD-FRMD/FNSHD, MAX CS < 18MM, NESOI | Products of tool steel and other products |
| 7228501060 | OTHER BARS/RODS TOOL STL (NOT HIGH-SPEED), COLD-FRMD/FNSHD, ROUND/RECT CS >= 18MM, GRND/MLLD/PLSHD SURFACE | Products of tool steel and other products |
| 7228501080 | OTHER BARS/RODS TOOL STL (NOT HIGH-SPEED), COLD-FRMD/FNSHD, MAX CROSS SECTION >= 18MM, NESOI | Products of tool steel and other products |
| 7228505005 | OTHER BARS/RODS OTH ALLOY STL, COLD-FORMED/FINISHED, HIGH-NICKEL ALLOY STL | Bars, cold-finished, not of stainless steel |
| 7228505015 | OTHER BARS/RODS OTH ALLOY STL, COLD-FORMED/FINISHED, DIAM < 76MM | Bars, cold-finished, not of stainless steel |
| 7228505040 | OTHER BARS/RODS OTH ALLOY STL, COLD-FORMED/FINISHED, DIAM 76-228MM | Bars, cold-finished, not of stainless steel |
| 7228505050 | OTH BRS RDS OTH ALY ST COLD-FRMD OR COLD-FNSHD OTH | Bars, cold-finished, not of stainless steel |
| 7228505070 | OTHER BARS/RODS OTH ALLOY STL, COLD-FORMED/FINISHED, DIAM > 228MM | Bars, cold-finished, not of stainless steel |
| 7228601030 | OTHER BARS/RODS OTH TOOL STEEL (NOT HIGH-SPEED), BALL-BEARING STEEL, NESOI | Products of tool steel and other products |
| 7228601060 | OTHER BARS/RODS OTH TOOL STEEL (NOT HIGH-SPEED), NESOI | Products of tool steel and other products |
| 7228606000 | OTHER BARS/RODS OTHER ALLOY STL, NOT TOOL STL, NOT COLD-FORMED, NESOI | Bars, hot-rolled, not of stainless steel |
| 7228608000 | OTHER BARS/RODS OTH ALLOY STL, NOT TOOL STL, COLD-FORMED, NESOI | Bars, cold-finished, not of stainless steel |
| 7228703010 | U, I, H AND T SECTIONS OTHER ALLOY STL, HOT-RLD, NOT DRILLED/PUNCHED/ADVANCED | Angles, shapes and sections |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7228703020 | ANGLES OTHER ALLOY STL, HOT-RLD, NOT DRILLED/PUNCHED/ADVANCED, MAX CROSS SECTION \geq 76MM | Angles, shapes and sections |
| 7228703041 | SHAPES/SECTIONS OTHER ALLOY STL, HOT-RLD, NOT DRILLED/PUNCHED/ADVANCED, MAX CS < 76MM, NESOI | Angles, shapes and sections |
| 7228703060 | ANGLES OTH ALLOY STL, HOT-RLD, NOT DRILLED/PUNCHED/ADVANCED, MAX CROSS SECTION < 76MM | Angles, shapes and sections of a type known as "light-shaped bars" and other products |
| 7228703081 | SHAPES/SECTIONS OTH ALLOY STL, HOT-RLD, NOT DRILLED/PUNCHED/ADVANCED, MAX CROSS SECTION < 76MM | Angles, shapes and sections of a type known as "light-shaped bars" and other products |
| 7228706000 | Angles, shapes, and sections of other alloy steel, not stainless | Angles, shapes and sections |
| 7228800000 | HOLLOW DRILL BARS AND RODS OF ALLOY OR NON-ALLOY STL, NESOI | Bars, hot-rolled, not of stainless steel |
| 7229200010 | ROUND WIRE SI-MN STL, DIAM 0.9% MN, > 0.6% SI, FOR ELEC ARC WELDING, PLATD/COATD W/ COPPER | Wire (other than of stainless steel) |
| 7229200015 | ROUND WIRE SI-MN STL, DIAM 0.9% MN, > 0.6% SI, FOR ELEC ARC WELDING, NOT PLATD/COATD W/ COPPER | Wire (other than of stainless steel) |
| 7229200090 | WIRE OF SILICO-MANGANESE STEEL, NESOI | Wire (other than of stainless steel) |
| 7229900500 | WIRE OF HIGH-SPEED STEEL | Products of tool steel and other products |
| 7229901000 | FLAT WIRE OF OTHER ALLOY STEEL | Wire (other than of stainless steel) |
| 7229905006 | ROUND WIRE OTH ALLOY STL, DIAM 0.3% NI OR > 0.08% MO, FOR ELEC ARC WELD, PLATD/COATD W/ COPPER | Wire (other than of stainless steel) |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7229905008 | ROUND WIRE OTH ALLOY STL, DIAM 0.3% NI OR > 0.08% MO, FOR ELEC ARC WELD, NOT PLATD/COATD W/ CU | Wire (other than of stainless steel) |
| 7229905016 | ROUND WIRE OTHER ALLOY STL, DIAM < 1.0MM | Wire (other than of stainless steel) |
| 7229905031 | ROUND WIRE OTHER ALLOY STL, DIAM 1.0-1.5MM | Wire (other than of stainless steel) |
| 7229905051 | ROUND WIRE OTHER ALLOY STL, DIAM >= 1.5MM | Wire (other than of stainless steel) |
| 7229909000 | OTHER WIRE OTHER ALLOY STL, NESOI | Wire (other than of stainless steel) |
| 7301100000 | SHEET PILING OF IRON OR STEEL | Sheet piling |
| 7302101010 | RAILS IRON/NONALLOY STL, NEW, NOT HEAT TREATED, STANDARD TEE > 30KG/M | Rails known as "standard rails" |
| 7302101015 | OTHER RAILS IRON/NONALLOY STL, NEW, NOT HEAT TREATED, > 30KG/M | Rails other than those known as "standard rails" |
| 7302101025 | OTHER RAILS IRON/NONALLOY STL, NEW, NOT HEAT TREATED, | Rails other than those known as "standard rails" |
| 7302101035 | RAILS IRON/NONALLOY STL, NEW, HEAT TREATED, STANDARD TEE > 30KG/M | Rails known as "standard rails" |
| 7302101045 | OTHER RAILS IRON/NONALLOY STL, NEW, HEAT TREATED, > 30KG/M | Rails other than those known as "standard rails" |
| 7302101055 | OTHER RAILS IRON/NONALLOY STL, NEW, HEAT TREATED, | Rails other than those known as "standard rails" |
| 7302101065 | USED RAILWAY RAILS FOR REROLLING | Rails known as "standard rails" |
| 7302101075 | USED RAILWAY RAILS FOR REROLLING, OTHER | Rails known as "standard rails" |
| 7302105020 | RAILS OF ALLOY STEEL, NEW | Rails known as "standard rails" |
| 7302105040 | USED RAILWAY RAILS FOR REROLLING, OF ALLOY STEEL; AND | Rails known as "standard rails" |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--|
| 7302105060 | USED RAILWAY RAILS FOR REROLLING, OF ALLOY STEEL, OTHER | Rails known as "standard rails" |
| 7302400000 | FISH PLATES AND SOLE PLATES OF IRON OR STEEL | Nonumerated railroad goods |
| 7302901000 | SLEEPERS (CROSS-TIES) OF IRON OR STEEL | Nonumerated railroad goods |
| 7302909000 | RAILWAY OR TRAMWAY TRACK CONSTRUCTION MATERIAL OF IRON OR STEEL | Nonumerated railroad goods |
| 7304110020 | LINE PIPE (OIL/GAS PIPELINES) STAINLESS STL, SEAMLESS, OUTSIDE DIAM | Line pipe of stainless steel |
| 7304110050 | LINE PIPE (OIL/GAS PIPELINES) STAINLESS STL, SEAMLESS, OUTSIDE DIAM 114.3-406.4MM | Line pipe of stainless steel |
| 7304110080 | LINE PIPE (OIL/GAS PIPELINES) STAINLESS STL, SEAMLESS, OUTSIDE DIAM > 406.4MM | Line pipe of stainless steel |
| 7304191020 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, SEAMLESS, OUTSIDE DIAM | Line pipe not exceeding 406.4 mm in outside diameter |
| 7304191030 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, SEAMLESS, OUTSIDE DIAM 114.3-215.9MM | Line pipe not exceeding 406.4 mm in outside diameter |
| 7304191045 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, SEAMLESS, OUTSIDE DIAM 215.9-406.4MM, WALL THK < 12.7MM | Line pipe not exceeding 406.4 mm in outside diameter |
| 7304191060 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, SEAMLESS, OUTSIDE DIAM 215.9-406.4MM, WALL THK >= 12.7MM | Line pipe not exceeding 406.4 mm in outside diameter |
| 7304191080 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, SEAMLESS, OUTSIDE DIAM > 406.4MM | Line pipe exceeding 406.4 mm in outside diameter |
| 7304195020 | LINE PIPE (OIL/GAS PIPELINES) OTH ALLOY STL, SEAMLESS, OUTSIDE DIAM | Line pipe not exceeding 406.4 mm in outside diameter |
| 7304195050 | LINE PIPE (OIL/GAS PIPELINES) OTH ALLOY STL, SEAMLESS, OUTSIDE DIAM 114.3-406.4MM | Line pipe not exceeding 406.4 mm in outside diameter |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7304195080 | LINE PIPE (OIL/GAS PIPELINES) OTH ALLOY STL, SEAMLESS, OUTSIDE DIAM > 406.4MM | Line pipe exceeding 406.4 mm in outside diameter |
| 7304220030 | DRILL PIPE (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, OUTSIDE DIAM | Oil country pipe and tube goods of stainless steel and other products |
| 7304220045 | DRILL PIPE (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, OUTSIDE DIAM 9.5MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304220060 | DRILL PIPE (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, OUTSIDE DIAM > 168.3MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304233000 | OTHER DRILL PIPE (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS | Oil country pipe and tube goods |
| 7304236030 | OTHER DRILL PIPE (OIL/GAS DRILLING) ALLOY STL, SEAMLESS, OUTSIDE DIAM | Oil country pipe and tube goods |
| 7304236045 | OTHER DRILL PIPE (OIL/GAS DRILLING) ALLOY STL, SEAMLESS, OUTSIDE DIAM 9.5MM | Oil country pipe and tube goods |
| 7304236060 | OTHER DRILL PIPE (OIL/GAS DRILLING) ALLOY STL, SEAMLESS, OUTSIDE DIAM > 168.3MM | Oil country pipe and tube goods |
| 7304243010 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, THREADED/COUPLED, OUTSIDE DIAM < 215.9MM, WALL THK < 12.7MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304243020 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, THREADED/COUPLED, OUTSIDE DIAM < 215.9MM, WALL THK >= 12.7MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304243030 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, THREADED/COUPLED, OUTSIDE DIAM 215.9-285.8MM, WALL THK < 12.7MM | Oil country pipe and tube goods of stainless steel and other products |

| HTS Code | HTS Description | Quota Category |
|------------|---|---|
| 7304243040 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, THREADED/COUPLED, OUTSIDE DIAM 215.9-285.8MM, WALL THK>=12.7MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304243045 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, THREADED/COUPLED, OUTSIDE DIAM 285.8-406.4MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304243050 | CASING,SMLES,STN,THRD,DIA 285.8-406.4,THK<12.7MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304243060 | CASING,SMLES,STN,THRD,DIA 285.8-406.4,THK>=12.7MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304243080 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, THREADED/COUPLED, OUTSIDE DIAM > 406.4MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304244010 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM < 215.9MM, WALL THK < 12.7MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304244020 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM < 215.9MM, WALL THK >= 12.7MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304244030 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 215.9-285.8MM, WALL THK < 12.7MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304244040 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 215.9-285.8MM, WALL THK>=12.7MM | Oil country pipe and tube goods of stainless steel |

| HTS Code | HTS Description | Quota Category |
|------------|---|---|
| | | and other products |
| 7304244050 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 285.8-406.4MM, WALL THK < 12.7MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304244060 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 285.8-406.4MM, WALL THK >=12.7MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304244080 | CASING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, NOT THREADED/COUPLED, OUTSIDE DIAM > 406.4MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304246015 | TUBING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, OUTSIDE DIAM | Oil country pipe and tube goods of stainless steel and other products |
| 7304246030 | TUBING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, OUTSIDE DIAM 9.5MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304246045 | TUBING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, OUTSIDE DIAM 114.3-215.9MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304246060 | TUBING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, OUTSIDE DIAM 215.9-406.4MM | Oil country pipe and tube goods of stainless steel and other products |
| 7304246075 | TUBING (OIL/GAS DRILLING) STAINLESS STL, SEAMLESS, OUTSIDE DIAM > 406.4MM | Oil country pipe and tube goods of stainless steel and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---------------------------------|
| 7304291010 | CASING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM < 215.9MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304291020 | CASING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM < 215.9MM, WALL THK >= 12.7MM | Oil country pipe and tube goods |
| 7304291030 | CASING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM 215.9-285.8MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304291040 | CASING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM 215.9-285.8MM, WALL THK >=12.7MM | Oil country pipe and tube goods |
| 7304291050 | CASING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM 285.8-406.4MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304291060 | CASING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM 285.8-406.4MM, WALL THK >=12.7MM | Oil country pipe and tube goods |
| 7304291080 | CASING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, THREADED/COUPLED, OUTSIDE DIAM > 406.4MM | Oil country pipe and tube goods |
| 7304292010 | CASING (OIL/GAS DRILLING) IRON/NA STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM < 215.9MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304292020 | CASING (OIL/GAS DRILLING) IRON/NA STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM < 215.9MM, WALL THK >= 12.7MM | Oil country pipe and tube goods |
| 7304292030 | CASING (OIL/GAS DRILLING) IRON/NA STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 215.9-285.8MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304292040 | CASING (OIL/GAS DRILLING) IRON/NA STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 215.9-285.8MM, WALL THK >= 12.7MM | Oil country pipe and tube goods |
| 7304292050 | CASING (OIL/GAS DRILLING) IRON/NA STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 285.8-406.4MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304292060 | CASING (OIL/GAS DRILLING) IRON/NA STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 285.8-406.4MM, WALL THK >= 12.7MM | Oil country pipe and tube goods |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---------------------------------|
| 7304292080 | CASING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, NOT THREADED/COUPLED, OUTSIDE DIAM > 406.4MM | Oil country pipe and tube goods |
| 7304293110 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM < 215.9MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304293120 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM < 215.9MM, WALL THK >= 12.7MM | Oil country pipe and tube goods |
| 7304293130 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM 215.9-285.8MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304293140 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM 215.9-285.8MM, WALL THK >= 12.7MM | Oil country pipe and tube goods |
| 7304293150 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM 285.8-406.4MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304293160 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, THREADED/COUPLED, OS DIAM 285.8-406.4MM, WALL THK >= 12.7MM | Oil country pipe and tube goods |
| 7304293180 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, THREADED/COUPLED, OUTSIDE DIAM > 406.4MM | Oil country pipe and tube goods |
| 7304294110 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM < 215.9MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304294120 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM < 215.9MM, WALL THK >= 12.7MM | Oil country pipe and tube goods |
| 7304294130 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 215.9-285.8MM, WALL THK < 12.7MM | Oil country pipe and tube goods |
| 7304294140 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 215.9-285.8MM, WALL THK >=12.7MM | Oil country pipe and tube goods |
| 7304294150 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 285.8-406.4MM, WALL THK < 12.7MM | Oil country pipe and tube goods |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--------------------------------------|
| 7304294160 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, NOT THREADED/COUPLED, OS DIAM 285.8-406.4MM, WALL THK>=12.7MM | Oil country pipe and tube goods |
| 7304294180 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, NOT THREADED/COUPLED, OUTSIDE DIAM > 406.4MM | Oil country pipe and tube goods |
| 7304295015 | TUBING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, OUTSIDE DIAM | Oil country pipe and tube goods |
| 7304295030 | TUBING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, OUTSIDE DIAM 9.5MM | Oil country pipe and tube goods |
| 7304295045 | TUBING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, OUTSIDE DIAM 114.3-215.9MM | Oil country pipe and tube goods |
| 7304295060 | TUBING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, OUTSIDE DIAM 215.9-406.4MM | Oil country pipe and tube goods |
| 7304295075 | TUBING (OIL/GAS DRILLING) IRON/NONALLOY STL, SEAMLESS, OUTSIDE DIAM > 406.4MM | Oil country pipe and tube goods |
| 7304296115 | TUBING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, OUTSIDE DIAM < 114.3MM, WALL THK | Oil country pipe and tube goods |
| 7304296130 | TUBING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, OUTSIDE DIAM < 114.3MM, WALL THK > 9.5MM | Oil country pipe and tube goods |
| 7304296145 | TUBING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, OUTSIDE DIAM 114.3-215.9MM | Oil country pipe and tube goods |
| 7304296160 | TUBING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, OUTSIDE DIAM 215.9-406.4MM | Oil country pipe and tube goods |
| 7304296175 | TUBING (OIL/GAS DRILLING) OTH ALLOY STL, SEAMLESS, OUTSIDE DIAM > 406.4MM | Oil country pipe and tube goods |
| 7304313000 | HOLLOW BARS IRON/NONALLOY STL, SEAMLESS, CIRCULAR CROSS SECTION, COLD-DRAWN/ROLLED | Mechanical tubing and other products |
| 7304316010 | TUBES/PIPES/HOLLOW PROFILES IRON/NA STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, SUITABLE FOR BOILERS ETC | Pressure tubing and other products |
| 7304316050 | TUBES/PIPES/HOLLOW PROFILES IRON/NA STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, NOT SUITABLE FOR BOILERS ETC | Mechanical tubing and other products |
| 7304390002 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT COLD-TRTD, SUITABLE FOR BOILERS ETC, OS DIAM < 38.1MM | Pressure tubing and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--------------------------------------|
| 7304390004 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT COLD-TRTD, SUITABLE FOR BOILERS ETC, OS DIAM 38.1-190.5MM | Pressure tubing and other products |
| 7304390006 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT COLD-TRTD, SUITABLE FOR BOILERS ETC, OS DIAM 190.5-285.8MM | Pressure tubing and other products |
| 7304390008 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT COLD-TRTD, SUITABLE FOR BOILERS ETC, OS DIAM > 285.8MM | Pressure tubing and other products |
| 7304390016 | TUBES/PIPES/HOLLOW PROFILES IRON/NA STL, SEAMLESS, CIRC CS, NOT COLD-TRTD, GALVANIZED, OS DIAM | Standard pipe |
| 7304390020 | TUBES/PIPES/HOLLOW PROFILES IRON/NA STL, SEAMLESS, CIRC CS, NOT COLD-TRTD, NOT GALVANIZED, OS DIAM < 38.1MM | Standard pipe |
| 7304390024 | TUBES/PIPES/H PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 38.1-114.3MM, WALL THK<6.4MM | Standard pipe |
| 7304390028 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 38.1-114.3MM, WLL THK 6.4-12.7MM | Mechanical tubing and other products |
| 7304390032 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 38.1-114.3MM, WLL THK>/=12.7MM | Mechanical tubing and other products |
| 7304390036 | TUBES/PIPES/H PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 114.3-190.5MM, WALL THK<12.7MM | Standard pipe |
| 7304390040 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 114.3-190.5MM, WLL THK 12.7-19MM | Mechanical tubing and other products |
| 7304390044 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 114.3-190.5MM, WLL THK>/=19MM | Mechanical tubing and other products |
| 7304390048 | TUBES/PIPES/H PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 190.5-285.8MM, WALL THK<12.7MM | Standard pipe |
| 7304390052 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 190.5-285.8MM, WLL THK 12.7-19MM | Mechanical tubing and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--------------------------------------|
| 7304390056 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 190.5-285.8MM, WLL THK>/=19MM | Mechanical tubing and other products |
| 7304390062 | TUBES/PIPES/H PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 285.8-406.4MM, WALL THK<12.7MM | Standard pipe |
| 7304390068 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 285.8-406.4MM, WLL THK 12.7-19MM | Mechanical tubing and other products |
| 7304390072 | TUBES/PIPES/HLLW PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM 285.8-406.4MM, WLL THK>/=19MM | Mechanical tubing and other products |
| 7304390076 | TUBES/PIPES/H PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM>406.4MM, WALL THK<19MM | Standard pipe |
| 7304390080 | TUBES/PIPES/H PRFLS IRON/NA STL, SMLESS, CIRC CS, NOT CLD-TRTD, NOT GLVNZD, OS DIAM>406.4MM, WALL THK>/=19MM | Standard pipe |
| 7304413005 | TUBES/PIPES/HOLLOW PRFLS STAINLESS STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, EXT DIAM < 19MM, HIGH-NICKEL ALLOY STL | Pipes and tubes of stainless steel |
| 7304413015 | TUBES/PIPES/HLLW PRFLS STAINLESS STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, EXT DIAM<19MM, SUITABLE FOR BOILERS ETC | Pipes and tubes of stainless steel |
| 7304413045 | TUBES/PIPES/HLLW PRFLS STAINLESS STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, EXT DIAM<19MM, NOT SUIT FOR BOILERS ETC | Pipes and tubes of stainless steel |
| 7304416005 | TUBES/PIPES/HLLW PRFLS STAINLESS STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, EXT DIAM>/=19MM, HIGH-NICKEL ALLOY STL | Pipes and tubes of stainless steel |
| 7304416015 | TUBES/PIPES/HLLW PRFLS STAINLESS STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, EXT DIAM>/=19MM, SUITABLE FOR BOILERS ETC | Pipes and tubes of stainless steel |
| 7304416045 | TUBES/PIPES/HLLW PRFLS STAINLESS STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, EXT DIAM>/=19MM, NOT SUIT FOR BOILERS ETC | Pipes and tubes of stainless steel |
| 7304490005 | TUBES/PIPES/HOLLOW PROFILES STAINLESS STL, SEAMLESS, CIRC CS, NOT COLD-DRWN/RLD, HIGH-NICKEL ALLOY STL | Pipes and tubes of stainless steel |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|---|
| 7304490015 | HOLLOW BARS STAINLESS STL, SEAMLESS, CIRCULAR CROSS SECTION, NOT COLD-DRAWN/ROLLED, NESOI | Pipes and tubes of stainless steel |
| 7304490045 | TUBES/PIPES/HOLLOW PROFILES STAINLESS STL, SEAMLESS, CIRC CS, NOT COLD-DRWN/RLD, SUITABLE FOR BOILERS ETC | Pipes and tubes of stainless steel |
| 7304490060 | TUBES/PIPES/HOLLOW PROFILES STAINLESS STL, SEAMLESS, CIRC CS, NOT COLD-DRWN/RLD, NOT SUIT FOR BOILERS ETC | Pipes and tubes of stainless steel |
| 7304511000 | TUBES/PIPES/HOLLOW PROFILES OTH ALLOY STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, SUITABLE FOR BALL/ROLL BEARINGS | Mechanical tubing and other products |
| 7304515005 | TUBES/PIPES/HOLLOW PROFILES OTH ALLOY STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, HIGH-NICKEL ALLOY STL | Pipes and tubes, not specially provided for |
| 7304515015 | TUBES/PIPES/HLLW PRFLS OTH ALLOY STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, SUIT FOR BOILERS ETC, HEAT-RESISTING STL | Pressure tubing and other products |
| 7304515045 | TUBES/PIPES/HLLW PRFLS OTH ALLOY STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, SUIT FOR BOILERS ETC, NOT HEAT-RESIST STL | Pressure tubing and other products |
| 7304515060 | TUBES/PIPES/HOLLOW PROFILES OTH ALLOY STL, SEAMLESS, CIRC CS, COLD-DRWN/RLD, NOT SUIT FOR BOILERS ETC, NESOI | Mechanical tubing and other products |
| 7304591000 | TUBES/PIPES/HOLLOW PROFILES OTH ALLOY STL, SEAMLESS, CIRC CS, NOT COLD-DRWN/RLD, SUIT FOR BALL/ROLL BEARINGS | Mechanical tubing and other products |
| 7304592030 | TUBES/PIPES/HLLW PRFLS OTH ALLOY STL, SMLESS, CIRC CS, NOT COLD-TRTD, SUITABLE FOR BOILERS ETC, HEAT-RESISTING STL | Pressure tubing and other products |
| 7304592040 | TUBES/PIPES/HLLW PRFLS ALLOY STL, SMLESS, CIRC CS, NOT COLD-TRTD, SUIT FOR BOILERS ETC, NOT HT-RSST STL, OS DIAM<38.1MM | Pressure tubing and other products |
| 7304592045 | TUBES/PIPES/H PRFLS ALLOY STL, SMLSS, CIRC CS, NOT COLD-TRTD, SUIT FOR BOILERS ETC, NOT HT-RSST STL, OS DIAM 38.1-114.3MM | Pressure tubing and other products |
| 7304592055 | TUBES/PIPES/H PRFLS ALLOY STL, SMLSS, CIRC CS, NOT COLD-TRTD, SUIT FOR BOILERS ETC, NOT HT-RSST STL, OS DIAM 114.3-190.5MM | Pressure tubing and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--------------------------------------|
| 7304592060 | TUBES/PIPES/H PRFLS ALLOY STL, SMLSS, CIRC CS, NOT COLD-TRTD, SUIT FOR BOILERS ETC, NOT HT-RSST STL, OS DIAM 190.5-285.8MM | Pressure tubing and other products |
| 7304592070 | TUBES/PIPES/H PRFLS ALLOY STL, SMLSS, CIRC CS, NOT COLD-TRTD, SUIT FOR BOILERS ETC, NOT HT-RSST STL, OS DIAM 285.8-406.4MM | Pressure tubing and other products |
| 7304592080 | TUBES/PIPES/H PRFLS ALLOY STL, SMLSS, CIRC CS, NOT COLD-TRTD, SUIT FOR BOILERS ETC, NOT HT-RSST STL, OS DIAM > 406.4MM | Pressure tubing and other products |
| 7304596000 | TUBES/PIPES/HLLW PRFLS OTH ALLOY STL, SMLESS, CIRC CS, NOT COLD-DRWN/RLD, NOT SUIT FOR BOILERS ETC, HEAT-RESIST STL | Mechanical tubing and other products |
| 7304598010 | TUBES/PIPES/HOLLOW PROFILES OTH ALLOY STL, SEAMLESS, CIRC CS, NOT COLD-TREATED, OUTSIDE DIAM < 38.1MM, NESOI | Standard pipe |
| 7304598015 | TUBES/PIPES/HLLW PRFLS OTH ALLOY STL, SMLESS, CIRC CS, NOT CLD-TRTD, OS DIAM 38.1-114.3MM, WALL THK<6.4MM, NESOI | Standard pipe |
| 7304598020 | TUBES/PIPES/HLLW PRFLS ALLOY STL, SMLESS, CIRC CS, NOT COLD-TRTD, OS DIAM 38.1-114.3MM, WALL THK 6.4-12.7MM, NESOI | Mechanical tubing and other products |
| 7304598025 | TUBES/PIPES/HLLW PRFLS ALLOY STL, SMLESS, CIRC CS, NOT COLD-TRTD, OS DIAM 38.1-114.3MM, WALL THK>12.7MM, NESOI | Mechanical tubing and other products |
| 7304598030 | TUBES/PIPES/HLLW PRFLS OTH ALLOY STL, SMLESS, CIRC CS, NOT CLD-TRTD, OS DIAM 114.3-190.5MM, WALL THK<12.7MM, NESOI | Standard pipe |
| 7304598035 | TUBES/PIPES/HLLW PRFLS ALLOY STL, SMLESS, CIRC CS, NOT COLD-TRTD, OS DIAM 114.3-190.5MM, WALL THK 12.7-19MM, NESOI | Mechanical tubing and other products |
| 7304598040 | TUBES/PIPES/HLLW PRFLS ALLOY STL, SMLESS, CIRC CS, NOT COLD-TRTD, OS DIAM 114.3-190.5MM, WALL THK>=19MM, NESOI | Mechanical tubing and other products |
| 7304598045 | TUBES/PIPES/HLLW PRFLS OTH ALLOY STL, SMLESS, CIRC CS, NOT CLD-TRTD, OS DIAM 190.5-285.8MM, WALL THK<12.7MM, NESOI | Standard pipe |
| 7304598050 | TUBES/PIPES/HLLW PRFLS ALLOY STL, SMLESS, CIRC CS, NOT COLD-TRTD, OS DIAM 190.5-285.8MM, WALL THK 12.7-19MM, NESOI | Mechanical tubing and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7304598055 | TUBES/PIPES/HLLW PRFLS ALLOY STL, SMLESS, CIRC CS, NOT COLD-TRTD, OS DIAM 190.5-285.8MM, WALL THK>=19MM, NESOI | Mechanical tubing and other products |
| 7304598060 | TUBES/PIPES/HLLW PRFLS OTH ALLOY STL, SMLESS, CIRC CS, NOT CLD-TRTD, OS DIAM 285.8-406.4MM, WALL THK<12.7MM, NESOI | Standard pipe |
| 7304598065 | TUBES/PIPES/HLLW PRFLS ALLOY STL, SMLESS, CIRC CS, NOT COLD-TRTD, OS DIAM 285.8-406.4MM, WALL THK 12.7-19MM, NESOI | Mechanical tubing and other products |
| 7304598070 | TUBES/PIPES/HLLW PRFLS ALLOY STL, SMLESS, CIRC CS, NOT COLD-TRTD, OS DIAM 285.8-406.4MM, WALL THK>=19MM, NESOI | Mechanical tubing and other products |
| 7304598080 | TUBES/PIPES/HOLLOW PROFILES OTH ALLOY STL, SEAMLESS, CIRC CS, NOT COLD-TREATED, OUTSIDE DIAM > 406.4MM, NESOI | Standard pipe |
| 7304901000 | TUBES/PIPES/HOLLOW PROFILES IRON/NONALLOY STL, SEAMLESS, NONCIRCULAR CROSS SECTION, WALL THK >= 4MM | Structural pipe and tube |
| 7304903000 | TUBES/PIPES/HOLLOW PROFILES ALLOY STL, SEAMLESS, NONCIRCULAR CROSS SECTION, WALL THK >= 4MM | Structural pipe and tube |
| 7304905000 | TUBES/PIPES/HOLLOW PROFILES IRON/NONALLOY STL, SEAMLESS, NOT CIRCULAR CS, WALL THK < 4MM, NESOI | Mechanical tubing and other products |
| 7304907000 | TUBES/PIPES/HOLLOW PROFILES ALLOY STL, SEAMLESS, NOT CIRCULAR CS, WALL THK < 4MM, NESOI | Mechanical tubing and other products |
| 7305111030 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, CIRC CS, LONGITUDINALLY SUB ARC WELDED, EXT DIAM 406.4-609.6MM | Line pipe exceeding 406.4 mm in outside diameter |
| 7305111060 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, CIRC CS, LONGITUDINALLY SUB ARC WELDED, EXT DIAM > 609.6MM | Line pipe exceeding 406.4 mm in outside diameter |
| 7305115000 | LINE PIPE (OIL/GAS PIPELINES) ALLOY STL, CIRC CS, EXT DIAM > 406.4MM, LONGITUDINALLY SUB ARC WELDED | Line pipe exceeding 406.4 mm in outside diameter |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--|
| 7305121030 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, CIRC CS, OTHER LONGITUDINALLY WELDED, EXT DIAM 406.4-609.6MM | Line pipe exceeding 406.4 mm in outside diameter |
| 7305121060 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, CIRC CS, OTHER LONGITUDINALLY WELDED, EXT DIAM > 609.6MM | Line pipe exceeding 406.4 mm in outside diameter |
| 7305125000 | LINE PIPE (OIL/GAS PIPELINES) ALLOY STL, CIRCULAR CS, EXT DIAM > 406.4MM, OTHER LONGITUDINALLY WELDED | Line pipe exceeding 406.4 mm in outside diameter |
| 7305191030 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, WELDED/RIVETED/SIM CLOSED, CIRC CS, EXT DIAM 406.4-609.6MM, NESOI | Line pipe exceeding 406.4 mm in outside diameter |
| 7305191060 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, WELDED/RIVETED/SIM CLOSED, CIRC CS, EXT DIAM > 609.6MM, NESOI | Line pipe exceeding 406.4 mm in outside diameter |
| 7305195000 | LINE PIPE (OIL/GAS PIPELINES) ALLOY STL, WELDED/RIVETED/SIM CLOSED, CIRC CS, EXT DIAM > 406.4MM, NESOI | Line pipe exceeding 406.4 mm in outside diameter |
| 7305202000 | CASING (OIL/GAS DRILLING) IRON/NA STL, WELDED/RIVETED/SIM CLOSED, CIRC CS, EXT DIAM > 406.4, THREADED/COUPLED | Oil country pipe and tube goods |
| 7305204000 | CASING (OIL/GAS DRILLING) IRON/NA STL, WELDED/RIVETED/SIM CLOSED, CIRC CS, EXT DIAM > 406.4, NOT THREADED/COUPLED | Oil country pipe and tube goods |
| 7305206000 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, WELDED/RIVETED/SIM CLOSED, CIRC CS, EXT DIAM > 406.4, THREADED/COUPLED | Oil country pipe and tube goods |
| 7305208000 | CASING (OIL/GAS DRILLING) OTH ALLOY STL, WELDED/RIVETED/SIM CLOSED, CIRC CS, EXT DIAM > 406.4, NOT THREADED/COUPLED | Oil country pipe and tube goods |
| 7305312000 | TAPERED STL PIPES/TUBES (PARTS OF ILLUMINATING ARTICLES), CIRC CS, EXT DIAM > 406.4MM, LONGITUDINALLY WELDED | Structural pipe and tube |
| 7305314000 | OTHER TUBES/PIPES IRON/NONALLOY STL, CIRC CS, EXT DIAM > 406.4MM, LONGITUDINALLY WELDED, NESOI | Structural pipe and tube |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|--|
| 7305316000 | TUBES, PIPES NESOI LONGITUD WELDED OF ALLOY STEEL | Structural pipe and tube |
| 7305316010 | OTHER TUBES/PIPES STAINLESS STL, CIRC CS, EXT DIAM > 406.4MM, LONGITUDINALLY WELDED, NESOI | Pipes and tubes of stainless steel |
| 7305316090 | OTHER TUBES/PIPES ALLOY STL (NOT STAINLESS), CIRC CS, EXT DIAM > 406.4MM, LONGITUDINALLY WELDED, NESOI | Structural pipe and tube |
| 7305391000 | OTHER TUBES/PIPES IRON/NONALLOY STL, CIRC CS, EXT DIAM > 406.4MM, WELDED OTH THAN LONGITUDINALLY, NESOI | Tubes or pipes for piling and other products |
| 7305395000 | OTHER TUBES/PIPES ALLOY STL, CIRC CS, EXT DIAM > 406.4MM, WELDED OTH THAN LONGITUDINALLY, NESOI | Tubes or pipes for piling and other products |
| 7305901000 | OTHER TUBES/PIPES IRON/NONALLOY STL, RIVETED/SIMILARLY CLOSED (NOT WELDED), CIRC CS, EXT DIAM > 406.4MM, NESOI | Pipes and tubes, not specially provided for |
| 7305905000 | OTHER TUBES/PIPES ALLOY STL, RIVETED/SIMILARLY CLOSED (NOT WELDED), CIRC CS, EXT DIAM > 406.4MM, NESOI | Pipes and tubes, not specially provided for |
| 7306110010 | LINE PIPE (OIL/GAS PIPELINES) STAINLESS STL, WELDED, OUTSIDE DIAM | Line pipe of stainless steel |
| 7306110050 | LINE PIPE (OIL/GAS PIPELINES) STAINLESS STL, WELDED, OUTSIDE DIAM > 114.3MM | Line pipe of stainless steel |
| 7306191010 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, WELDED/RIVETED/SIM CLOSED, OUTSIDE DIAM | Line pipe not exceeding 406.4 mm in outside diameter |
| 7306191050 | LINE PIPE (OIL/GAS PIPELINES) IRON/NONALLOY STL, WELDED/RIVETED/SIM CLOSED, OUTSIDE DIAM > 114.3MM | Other line pipe |
| 7306195110 | LINE PIPE (OIL/GAS PIPELINES) ALLOY STL, WELDED/RIVETED/SIM CLOSED, OUTSIDE DIAM | Line pipe not exceeding 406.4 mm in outside diameter |
| 7306195150 | LINE PIPE (OIL/GAS PIPELINES) ALLOY STL, WELDED/RIVETED/SIM CLOSED, OUTSIDE DIAM > 114.3MM | Other line pipe |
| 7306213000 | CASING (OIL/GAS DRILLING) STAINLESS STL, WELDED, THREADED/COUPLED | Oil country pipe and tube goods of stainless steel |

| HTS Code | HTS Description | Quota Category |
|------------|---|---|
| | | and other products |
| 7306214000 | CASING (OIL/GAS DRILLING) STAINLESS STL, WELDED, NOT THREADED/COUPLED | Oil country pipe and tube goods of stainless steel and other products |
| 7306218010 | TUBING (OIL/GAS DRILLING) STAINLESS STL, WELDED, IMPORTED WITH COUPLING | Oil country pipe and tube goods of stainless steel and other products |
| 7306218050 | TUBING (OIL/GAS DRILLING) STAINLESS STL, WELDED, NOT IMPORTED WITH COUPLING | Oil country pipe and tube goods of stainless steel and other products |
| 7306291030 | OTHER CASING (OIL/GAS DRILLING) IRON/NA STL, WELDED/RIVETED/CLOSED, THREADED/COUPLED, IMP WITH COUPLING | Oil country pipe and tube goods |
| 7306291090 | OTHER CASING (OIL/GAS DRILLING) IRON/NA STL, WELDED/RIVETED/CLOSED, THREADED/COUPLED, NOT IMP WITH COUPLING | Oil country pipe and tube goods |
| 7306292000 | OTHER CASING (OIL/GAS DRILLING) IRON/NONALLOY STL, WELDED/RIVETED/SIMILARLY CLOSED, NOT THREADED/COUPLED | Oil country pipe and tube goods |
| 7306293100 | OTHER CASING (OIL/GAS DRILLING) OTH ALLOY STL, WELDED/RIVETED/SIMILARLY CLOSED, THREADED/COUPLED | Oil country pipe and tube goods |
| 7306294100 | OTHER CASING (OIL/GAS DRILLING) OTH ALLOY STL, WELDED/RIVETED/SIMILARLY CLOSED, NOT THREADED/COUPLED | Oil country pipe and tube goods |
| 7306296010 | OTHER TUBING (OIL/GAS DRILLING) IRON/NONALLOY STL, WELDED/RIVETED/SIMILARLY CLOSED, IMPORTED WITH COUPLING | Oil country pipe and tube goods |
| 7306296050 | OTHER TUBING (OIL/GAS DRILLING) IRON/NONALLOY STL, | Oil country pipe and tube goods |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--------------------------------------|
| | WELDED/RIVETED/SIMILARLY CLOSED, NOT IMPORTED WITH COUPLING | |
| 7306298110 | OTHER TUBING (OIL/GAS DRILLING) OTH ALLOY STL, WELDED/RIVETED/SIMILARLY CLOSED, IMPORTED WITH COUPLING | Oil country pipe and tube goods |
| 7306298150 | OTHER TUBING (OIL/GAS DRILLING) OTH ALLOY STL, WELDED/RIVETED/SIMILARLY CLOSED, NOT IMPORTED WITH COUPLING | Oil country pipe and tube goods |
| 7306301000 | OTHER TUBES/PIPES/HOLLOW PROFILES IRON/NONALLOY STL, WELDED, CIRCULAR CS, WALL THK < 1.65MM | Mechanical tubing and other products |
| 7306303000 | TAPERED STL PIPES/TUBES (PARTS OF ILLUMINATING ARTICLES) IRON/NA STL, WELDED, CIRC CS, WALL THK >= 1.65MM | Structural pipe and tube |
| 7306305010 | OTH TUBES/PIPES/HOLLOW PROFILES IRON/NA STL, WELDED, CIRC CS, WALL THK >=1.65MM, SUITABLE FOR BOILERS ETC | Pressure tubing and other products |
| 7306305015 | OTH TUBES/PIPES/HLLW PRFLS IRON/NA STL, WELDED, CIRC CS, WALL THK>=1.65MM, NOT SUIT FOR BOILERS ETC, COLD-DRWN | Mechanical tubing and other products |
| 7306305020 | OTH TUBES/PIPES/HLLW PRFLS IRON/NA STL, WELDED, CIRC CS, WALL THK 1.65-2.54MM, NOT SUIT FOR BOILERS ETC, COLD-RLD | Mechanical tubing and other products |
| 7306305025 | OTH TUBES/PIPES/H PRFLS IRON/NA STL, WELDED, CIRC CS, WALL THK>=1.65MM, OS DIAM | Standard pipe |
| 7306305028 | OTH TUBES/PIPES/H PRFLS IRON/NA STL, WELDED, CIRC CS, WALL THK>=1.65MM, OS DIAM | Standard pipe |
| 7306305032 | OTH TUBES/PIPES/H PRFLS IRON/NA STL, WELDED, CIRC CS, WALL THK>=1.65MM, OS DIAM | Standard pipe |
| 7306305035 | TUBE/PIPE HOLLOW (REDRAWING) IRON/NA STL, WELDED, CIRC CS, WALL THK>=1.65MM, OS DIAM | Mechanical tubing and other products |
| 7306305040 | OTH TUBES/PIPES/H PRFLS IRON/NA STL, WELDED, CIRC CS, WALL THK>=1.65MM, OS DIAM | Standard pipe |
| 7306305055 | OTH TUBES/PIPES/H PRFLS IRON/NA STL, WELDED, CIRC CS, WALL THK>=1.65MM, OS DIAM | Standard pipe |
| 7306305085 | OTH TUBES/PIPES/H PRFLS IRON/NA STL, WELDED, CIRC CS, WALL THK>=1.65MM, OS DIAM 114.3-406.4MM, GALVANIZED | Standard pipe |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--------------------------------------|
| 7306305090 | OTH TUBES/PIPES/H PRFLS IRON/NA STL, WELDED, CIRC CS, WALL THK >=1.65MM, OS DIAM 114.3-406.4MM, NOT GALVANIZED | Standard pipe |
| 7306401010 | OTH TUBES/PIPES/HOLLOW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK < 1.65MM, > 0.5% NICKEL, 1.5-5% MOLYBDENUM | Pipes and tubes of stainless steel |
| 7306401015 | OTH TUBES/PIPES/HOLLOW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK < 1.65MM, > 0.5% NICKEL, NESOI | Pipes and tubes of stainless steel |
| 7306401090 | OTH TUBES/PIPES/HOLLOW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK < 1.65MM, | Pipes and tubes of stainless steel |
| 7306405005 | OTH TUBES/PIPES/HOLLOW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK >= 1.65MM, HIGH-NICKEL ALLOY STL | Pipes and tubes of stainless steel |
| 7306405015 | OTH TUBES/PIPES/HOLLOW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK >= 1.65MM, SUITABLE FOR BOILERS ETC | Pipes and tubes of stainless steel |
| 7306405040 | OTH TUBES/PIPES/HOLLOW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK >= 1.65MM, COLD DRWN/RLD, 0.5-24% NICKEL | Pipes and tubes of stainless steel |
| 7306405042 | OTH TUBES/PIPES/HOLLOW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK >= 1.65MM, COLD DRWN/RLD, < 15% CHROMIUM | Pipes and tubes of stainless steel |
| 7306405044 | OTH TUBES/PIPES/HOLLOW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK >= 1.65MM, COLD DRWN/RLD, NESOI | Pipes and tubes of stainless steel |
| 7306405062 | OTH TUBES/PIPES/HLLW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK >=1.65MM, OS DIAM | Pipes and tubes of stainless steel |
| 7306405064 | OTH TUBES/PIPES/HLLW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK >=1.65MM, OS DIAM | Pipes and tubes of stainless steel |
| 7306405080 | OTH TUBES/PIPES/HLLW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK >=1.65MM, OS DIAM | Pipes and tubes of stainless steel |
| 7306405085 | OTH TUBES/PIPES/HLLW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK >=1.65MM, OS DIAM 114.3-406.4MM, 0.5-24% NICKEL | Pipes and tubes of stainless steel |
| 7306405090 | OTH TUBES/PIPES/HLLW PRFLS STAINLESS STL, WELDED, CIRC CS, WALL THK >=1.65MM, OS DIAM 114.3-406.4MM, | Pipes and tubes of stainless steel |
| 7306501000 | OTH TUBES/PIPES/HOLLOW PROFILES OTH ALLOY STL, WELDED, CIRCULAR CS, WALL THK < 1.65MM | Mechanical tubing and other products |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|--------------------------------------|
| 7306503000 | TAPERED STL PIPES/TUBES (PARTS OF ILLUMINATING ARTICLES) OTH ALLOY STL, WELDED, CIRC CS, WALL THK \geq 1.65MM | Structural pipe and tube |
| 7306505010 | OTH TUBES/PIPES/HOLLOW PROFILES OTH ALLOY STL, WELDED, CIRC CS, WALL THK \geq 1.65MM, SUITABLE FOR BOILERS ETC | Pressure tubing and other products |
| 7306505030 | OTH TUBES/PIPES/HOLLOW PROFILES ALLOY STL, WELDED, CIRC CS, WALL THK \geq 1.65MM, NOT SUIT FOR BOILERS ETC, COLD-DRWN/RLD | Mechanical tubing and other products |
| 7306505050 | OTH TUBES/PIPES/HOLLOW PROFILES ALLOY STL, WELDED, CIRC CS, WALL THK \geq 1.65MM, OS DIAM | Mechanical tubing and other products |
| 7306505070 | OTH TUBES/PIPES/HOLLOW PROFILES ALLOY STL, WELDED, CIRC CS, WALL THK \geq 1.65MM, OS DIAM 114.3-406.4MM, NESOI | Mechanical tubing and other products |
| 7306611000 | OTH TUBES/PIPES/HOLLOW PROFILES IRON/NONALLOY STL, WELDED, SQUARE/RECTANGULAR CS, WALL THK \geq 4MM | Structural pipe and tube |
| 7306613000 | OTH TUBES/PIPES/HOLLOW PROFILES ALLOY STL, WELDED, SQUARE/RECTANGULAR CS, WALL THK \geq 4MM | Structural pipe and tube |
| 7306615000 | OTH TUBES/PIPES/HOLLOW PROFILES IRON/NONALLOY STL, WELDED, SQUARE/RECTANGULAR CS, WALL THK $<$ 4MM | Mechanical tubing and other products |
| 7306617030 | OTH TUBES/PIPES/HOLLOW PROFILES STAINLESS STL, WELDED, SQUARE/RECTANGULAR CS, WALL THK $<$ 4MM | Pipes and tubes of stainless steel |
| 7306617060 | OTH TUBES/PIPES/HOLLOW PROFILES OTH ALLOY STL (NOT STAINLESS), WELDED, SQ/RECT CS, WALL THK $<$ 4MM | Mechanical tubing and other products |
| 7306691000 | OTH TUBES/PIPES/HOLLOW PROFILES IRON/NONALLOY STL, WELDED, OTHER NONCIRCULAR CS, WALL THK \geq 4MM | Structural pipe and tube |
| 7306693000 | OTH TUBES/PIPES/HOLLOW PROFILES ALLOY STL, WELDED, OTHER NONCIRCULAR CS, WALL THK \geq 4MM | Structural pipe and tube |
| 7306695000 | OTH TUBES/PIPES/HOLLOW PROFILES IRON/NONALLOY STL, WELDED, OTH NONCIRCULAR CS, WALL THK $<$ 4MM | Mechanical tubing and other products |
| 7306697030 | OTH TUBES/PIPES/HOLLOW PROFILES STAINLESS STL, WELDED, OTHER NONCIRCULAR CS, WALL THK $<$ 4MM | Pipes and tubes of stainless steel |

| HTS Code | HTS Description | Quota Category |
|------------|---|---|
| 7306697060 | OTH TUBES/PIPES/HOLLOW PROFILES OTH ALLOY STL (NOT STAINLESS), WELDED, OTH NONCIRCULAR CS, WALL THK < 4MM | Mechanical tubing and other products |
| 7306901000 | OTH TUBES/PIPES/HOLLOW PROFILES IRON/NONALLOY STL, RIVETED/SIMILARLY CLOSED (NOT WELDED), NESOI | Pipes and tubes, not specially provided for |
| 7306905000 | OTH TUBES/PIPES/HOLLOW PROFILES ALLOY STL, RIVETED/SIMILARLY CLOSED (NOT WELDED), NESOI | Pipes and tubes, not specially provided for |

ANNEX 2: PRODUCT CATEGORIES FOR ALUMINUM

| HTS Code | HTS Description | Quota Category |
|-----------------|--|-------------------------------------|
| 7601103000 | Unwrought aluminum, not alloyed, of uniform cross section throughout its length, the least cross-sectional dimension of which is not greater than 9.5 mm, in coils | Unwrought, not alloyed |
| 7601106000 | UNWROUGHT ALUMINUM NOT ALLOYED NESOI | Unwrought, not alloyed |
| 7601106030 | Unwrought aluminum, not alloyed, of greater than 99.8 percent aluminum | Unwrought, not alloyed |
| 7601106090 | Unwrought aluminum, not alloyed, other | Unwrought, not alloyed |
| 7601203000 | Unwrought aluminum alloy of uniform cross section throughout its length, the least cross-sectional dimension of which is not greater than 9.5 mm, in coils | Unwrought Alloy |
| 7601206000 | Unwrought aluminum alloy, containing 25% or more by weight of silicon | Unwrought Alloy |
| 7601209030 | Unwrought aluminum alloy, aluminum vanadium master alloy | Unwrought Alloy |
| 7601209045 | Other unwrought aluminum alloy, of uniform cross section throughout its length, the foregoing comprised of billets, not in coils | Unwrought Alloy |
| 7601209060 | Other unwrought aluminum alloy, containing 0.03 percent or more by weight of lead (secondary aluminum) | Unwrought Alloy |
| 7601209075 | Unwrought aluminum alloy, remelt scrap ingot | Unwrought Alloy |
| 7601209080 | Unwrought aluminum alloy, sheet ingot (slab) of a kind described in statistical note 3 to this chapter | Unwrought Alloy |
| 7601209085 | Unwrought aluminum alloy, foundry ingot of a kind described in statistical note 4 to this chapter | Unwrought Alloy |
| 7601209090 | ALMN ALLOY UNWRT NESOI | Unwrought Alloy |
| 7601209095 | Unwrought aluminum alloy, other | Unwrought Alloy |
| 7604101000 | Aluminum profiles, not alloyed | Bars, rods, and profiles, non-alloy |
| 7604103000 | Aluminum bars and rods, not alloyed, having a round cross section | Bars, rods, and profiles, non-alloy |
| 7604103010 | AL BAR, ROD, NT ALOY RND C-S OTSD DIA OF LES THN 1 | Bars, rods, and profiles, non-alloy |
| 7604103050 | AL BAR, ROD, NT ALOY RND C-S OTSD DIA OF 10MM OR M | Bars, rods, and profiles, non-alloy |
| 7604105000 | Aluminum bars and rods, not alloyed, other | Bars, rods, and profiles, non-alloy |
| 7604105030 | AL BR-RD NT AL HA OT TH R C-S W MX C-S DI L T 10MM | Bars, rods, and profiles, non-alloy |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|---|
| 7604105060 | AL BR-RD N AL HA OT TH R C-S W M C-S D 10MM O MORE | Bars, rods, and profiles, non-alloy |
| 7604210000 | ALUMINUM ALLOY HOLLOW PROFILES | Hollow profiles, alloyed |
| 7604210010 | Hollow profiles of aluminum alloys, of heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter | Hollow profiles, alloyed |
| 7604210090 | Hollow profiles of aluminum alloys, other | Hollow profiles, alloyed |
| 7604291000 | ALUMINUM ALLOY PROFILES NOT HOLLOW | Bars, Rods, and Solid profiles, alloyed |
| 7604291010 | Non-hollow profiles of aluminum alloys, of heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter | Bars, Rods, and Solid profiles, alloyed |
| 7604291090 | Non-hollow profiles of aluminum alloys, other | Bars, Rods, and Solid profiles, alloyed |
| 7604293010 | AL ALY BR-RD HA RD C-S WI OTSI DIA OF LES TH 10MM | Bars, Rods, and Solid profiles, alloyed |
| 7604293030 | Bars and rods of aluminum alloys, having a round cross section, of high-strength heat-treatable alloys of a kind described in statistical note 5 to this chapter | Bars, Rods, and Solid profiles, alloyed |
| 7604293050 | AL ALY BR-RD HA RD C-S WI OTSI DIA OF 10MM OR MORE | Bars, Rods, and Solid profiles, alloyed |
| 7604293060 | Bars and rods of aluminum alloys, having a round cross section, of heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter | Bars, Rods, and Solid profiles, alloyed |
| 7604293090 | Bars and rods of aluminum alloys, having a round cross section, other | Bars, Rods, and Solid profiles, alloyed |
| 7604295020 | Other bars and rods of aluminum alloys, having other than a round cross section, of high-strength heat-treatable alloys of a kind described in statistical note 5 to this chapter | Bars, Rods, and Solid profiles, alloyed |
| 7604295030 | ALM AL BR RDS NT R CRS MX DM UN 10MM | Bars, Rods, and Solid profiles, alloyed |
| 7604295050 | Other bars and rods of aluminum alloys, having other than a round cross section, of heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter | Bars, Rods, and Solid profiles, alloyed |
| 7604295060 | AL ALY HA OT TH RD C-S W MX C-S DIM OF 10MM OR MOR | Bars, Rods, and Solid profiles, alloyed |
| 7604295090 | Other bars and rods of aluminum alloys, having other than a round cross section, other | Bars, Rods, and Solid profiles, alloyed |
| 7605110000 | Aluminum wire, not alloyed, of which the maximum cross-sectional dimension exceeds 7 mm | Redraw Rod |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|-----------------------|
| 7605110030 | AL WIR NT ALY OF WHI TH MAX C-S DIM EXCEEDS 9.5MM | Redraw Rod |
| 7605110090 | AL WIR NT ALY OF WHI TH MAX C-S DIM IS 7-9.5MM | Wire |
| 7605190000 | Aluminum wire, not alloyed, other | Wire |
| 7605210000 | Wire of aluminum alloys, of which the maximum cross-sectional dimension exceeds 7 mm | Redraw Rod |
| 7605210030 | AL WIR ALLOY OF WHI TH MAX C-S DIM EXCEEDS 9.5MM | Redraw Rod |
| 7605210090 | AL WIR ALY OF WHI TH MAX C-S DIM IS 7-9.5MM | Wire |
| 7605290000 | Wire of aluminum alloys, other | Wire |
| 7606113030 | Rectangular (including square), of aluminum, not alloyed, not clad, more than 6.3 mm in thickness | Plate |
| 7606113060 | Rectangular (including square), of aluminum sheet, not alloyed, not clad, 6.3 mm or less in thickness | Sheet |
| 7606116000 | Rectangular (including square), of aluminum, not alloyed, clad | Sheet |
| 7606123015 | Rectangular (including square), of aluminum alloys, not clad, with a thickness of more than 6.3mm, with high-strength heat-treatable alloys of a kind described in statistical note 5 to this chapter | Plate |
| 7606123025 | Rectangular (including square), of aluminum alloys, not clad, with a thickness of more than 6.3mm, with heat-treatable industrial alloys of a kind described in statistical note 6 to this chapter | Plate |
| 7606123030 | ALUM PLT SHT STRP REC O SQR ALY NT CL OV 6.3MM THK | Plate |
| 7606123035 | Rectangular (including square), of aluminum alloys, not clad, other | Plate |
| 7606123045 | Aluminum alloy can stock, not clad, body stock | Can Stock |
| 7606123055 | Aluminum alloy can stock, not clad, lid stock | Can Stock |
| 7606123090 | AL PL SH A ST RE SQ NT CLD 6.3MM OL THK NESOI | Sheet |
| 7606123091 | Aluminum alloys, not clad, with a thickness of 6.3 mm or less, other, of heat-treatable industrial alloys | Sheet |
| 7606123096 | Aluminum alloys, not clad, with a thickness of 6.3 mm or less, other, other | Sheet |
| 7606126000 | Rectangular (including square), of aluminum alloys, clad | Sheet |
| 7606913030 | CRCLS A DSCS AL NT AL NT CLD OVR 6.3MM THCK | Plate |
| 7606913055 | Circles and disks of aluminum, not alloyed, not clad, with a thickness more than 6.3 mm | Plate |
| 7606913060 | AL P S S NESOI NT ALD NT CLD OVR 6.3MM THCK | Plate |

| HTS Code | HTS Description | Quota Category |
|-----------------|---|-----------------------------|
| 7606913075 | CRCLS A DSCS AL NT ALYD NT CLD THCKNS 6.3MM O LESS | Sheet |
| 7606913090 | AL P S S NESOI NT ALYD NT CLD THCKNSS 6.3MM O LESS | Sheet |
| 7606913095 | Circles and disks of aluminum, not alloyed, not clad, with a thickness of 6.3 mm or less | Sheet |
| 7606916020 | CRCS A DSCS ALU NT AL CLD OV 6.3 MM THICK | Plate |
| 7606916040 | AL PL SHT STRP NESOI NT ALYD CLAD OV 6.3 MM THICK | Plate |
| 7606916055 | Aluminum plates, not alloyed, clad, with a thickness more than 6.3 mm | Plate |
| 7606916060 | CRCLS A DSCS CLD ALU NT AL 6.3MM OR LESS THICK | Sheet |
| 7606916080 | ALUM PL SH STR NT ALYD CLAD 6.3MM OR LS THCK NESOI | Sheet |
| 7606916095 | Aluminum sheets, not alloyed, clad, with a thickness of 6.3 mm or less | Sheet |
| 7606923025 | Circles and disks of aluminum alloys, not clad, with a thickness more than 6.3 mm | Plate |
| 7606923030 | CIRCLES AND DISCS NT CLAD OF ALUM ALYS OV 6.3MM TH | Plate |
| 7606923035 | Circles and disks of aluminum alloys, not clad, with a thickness of 6.3 mm or less | Sheet |
| 7606923060 | AL PL SHT STR NOT CLAD, ALLOY, NESOI OV 6.3MM THCK | Plate |
| 7606923075 | CIRCLS A DISCS NT CLAD, OF ALU AL 6.3MM OR LS THCK | Sheet |
| 7606923090 | AL P S S NESOI ALOY NT CLD 6.3MM OR LESS THICK | Sheet |
| 7606926020 | ALUM ALY CRCLS A DSCS NESOI CLD OV 6.3 MM THICK | Plate |
| 7606926040 | ALUM AL PL SHT STRP CLD NESOI OV 6.3 MM THICK | Plate |
| 7606926055 | Circles and disks of aluminum alloys, clad, with a thickness of more than 6.3 mm | Plate |
| 7606926060 | CRCLS A DSCS ALU AL CLD NESOI OV 0.2 BT UN 6.3MM T | Sheet |
| 7606926080 | ALM AL P S S OTH NESOI CLD OV 0.2MM-UN 6.3MM THCK | Sheet |
| 7606926095 | Circles and disks of aluminum alloys, clad, with a thickness of 6.3 mm or less | Sheet |
| 7607113000 | Aluminum foil, not backed, rolled but not further worked, of a thickness not exceeding 0.01 mm | Not Backed Aluminum Foil |
| 7607116000 | AL FL NT BCKD ETC OV 0.01MM BT NT OV 0.15 THCK | Not Backed Aluminum Foil |

| HTS Code | HTS Description | Quota Category |
|-----------------|--|-------------------------------|
| 7607116010 | Aluminum foil, not backed, rolled but not further worked, of a thickness exceeding 0.01 mm but not exceeding 0.15 mm, boxed aluminum foil weighing not more than 11.3 kg | Not Backed Aluminum Foil |
| 7607116090 | Aluminum foil, not backed, rolled but not further worked, of a thickness exceeding 0.01 mm but not exceeding 0.15 mm, NESOI | Not Backed Aluminum Foil |
| 7607119030 | Aluminum foil can stock, not backed, rolled but not further worked, of a thickness exceeding 0.15 mm, body stock | Not Backed Aluminum Foil |
| 7607119060 | Aluminum foil can stock, not backed, rolled but not further worked, of a thickness exceeding 0.15 mm, lid stock | Not Backed Aluminum Foil |
| 7607119090 | Aluminum foil, not backed, rolled but not further worked, of a thickness exceeding 0.15 mm, NESOI | Not Backed Aluminum Foil |
| 7607191000 | Not backed, etched capacitor foil | Not Backed Aluminum Foil |
| 7607193000 | Aluminum foil, not backed, not etched capacitor foil, cut to shape, of a thickness not exceeding 0.15 mm | Not Backed Aluminum Foil |
| 7607196000 | Aluminum foil, not backed, not etched capacitor foil, cut to shape, NESOI | Not Backed Aluminum Foil |
| 7607201000 | Aluminum foil, backed, covered or decorated with a character, design, fancy effect or pattern | Backed Aluminum Foil |
| 7607205000 | Aluminum foil, backed, NESOI | Backed Aluminum Foil |
| 7608100030 | Aluminum tubes and pipes, not alloyed, seamless | Seamless Pipe and Tube |
| 7608100090 | Aluminum tubes and pipes, not alloyed, not seamless | Not Seamless Pipe and Tube |
| 7608200030 | Aluminum tubes and pipes, alloyed, seamless | Seamless Pipe and Tube |
| 7608200090 | Aluminum tubes and pipes, alloyed, not seamless | Not Seamless Pipe and Tube |
| 7609000000 | Aluminum tube or pipe fittings (for example, couplings, elbows, sleeves) | Tube or Pipe Fittings |
| 7616995060 | ALUMINUM CASTINGS | Castings and forgings |
| 7616995070 | ALUMINUM FORGINGS | Castings and forgings |
| 7616995160 | Aluminum castings | Castings and forgings |
| 7616995170 | Aluminum forgings | Castings and forgings |